

**SOUTH CAROLINA DEPARTMENT OF SOCIAL SERVICES
CHILD CARE LICENSING ORIGINAL & RENEWAL INSPECTION CHECKLIST**

Type of Inspection: Provisional Evaluation Full Evaluation **Renewal**

Center Name: Low Country CAA Head Start
 RL/APP ID #: CC000727 Licensed Registered
 Address: 792 Burr Hill Road, Cottageville, SC 29435
 Telephone #: 843-835-2760

Date of Inspection: 5/5/23 Time of Inspection: 10:10-1:00
 Center Faith Based GCCH CDEP
 Hours of Operation:
 Any changes in contact info (Phone/Email/Fax)? Yes No Overnight Care? Yes No

Center Director/Designee: Senekita Farmer
 Change in Ownership or Director? Yes No If yes, Name: _____
 Total Capacity: 262
 Maximum number of infants: 220

Building 1: _____ Building 2: _____ Building 3: _____
 24 months 30 months I-4 facility Clear Fire Report Yes No NA Date cleared _____

Physical Site	CENTER	FAITH BASED	GCCH	C	N	N/A
The Approval/ License/ Registration is displayed in public view.	114-503 A.1	114-523 A.1	114-513 A.1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Daily menu dated and posted in conspicuous location in public view.	114-508 A.1	114-528 A.1	114-518 A.1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Building has proper ventilation to include kitchen and bathrooms.	114-507 A.2	114-527 A.2	114-517 A.2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tobacco free facility	114-505 A.3	114-525 A.2	114-517 A.2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Decals on all glass doors, placed at eye level of children.	114-507 A.3	114-527 A.3	114-517 A.3	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Adequate lighting for rooms, hallway, bathrooms and fire escapes.	114-507 A.4	114-527 A.4	114-517 A.4(a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ceiling, floors, windows, doors and rugs properly secured.	114-507 A.5(d)	114-527 A.5(d)	114-517 A.5(d)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
No strangulation, choking or suffocation hazards.	114-507 A.5(g)	114-527 A.5(g)	114-517 A.5(h)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrical outlets securely covered and inaccessible to children.	114-507 A.11(c)	114-527 A.11(c)	114-517 A.11(c)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Temperature in building between 68 and 80 degrees °F.	114-507 A.7(a)	114-527 A.7	114-517 A.7(a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Facility has hot and cold water.	114-507 A.6(b)	114-527 A.6(b)	114-517 A.6(b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Trash in restroom and classroom kept in plastic lined container.	114-507A.8(f)	114-527 A.8(f)	114-517 A.8(f)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Facility free from pest problems (insects, rodents, etc.).	114-507 A.8(b)	114-527 A.8(b)	114-517 A.8(b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Furniture, toys & equipment are clean and free from hazards.	114-507 C.1	114-527 C.1	114-517 C.1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Furniture, toys & equipment meet standards of the CPSC.	114-507 C.2	114-527 C.2	114-517 C.2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Bathroom completely enclosed. Private toilet use by preschool & up.	114-507 A.12	114-527 A.12		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Child size toilets & sinks (has seat adapter and sturdy steps).	114-507 A.12(e)	114-527 A.12(e)	114-517 A.12(e)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Soap and disposable towels provided at each sink.	114-507 A.12(i)	114-527 A.12(i)	114-517 A.12(g)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cots or mats labeled with child's name for use only by that child.	114-507 D.2	114-527 D.2	114-517 D.2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cots and mats stored so that the side child lies on does not touch floor.	114-507 D.6	114-527 D.6	114-517 D.6	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Poisons/harmful agents locked, labeled and stored properly.	114-507 E.1	114-527 E.1	114-517 E.1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Only healthy pets/animals permitted. (Vaccination records up-to-date)	114-507 E.4	114-527 E.4	114-517 E.4	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Ratio chart prominently posted in each classroom.	114-504 B.1	114-524 B.1		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Emergency phone numbers posted (police, fire and poison control).	114-503 J.2	114-523 G.2	114-513 J.2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Internal means of communication among staff.	114-503 J.3			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Parents have free & full access.	114- 503 F.1		114-513 F.1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
If overnight care is provided, requirements have been met.	114-509 C	114-529 C	114-519 C	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Age appropriate radio, TV, VCR and DVD for children use.	114-506 A.7		114-516 A.7	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Staff files are in compliance to include required training hours.	114-503 F(1-4)	114-523 H(1-7)	114-513 H(1-7)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

C = Compliant with Regulation, N = Noncompliant with Regulation, N/A = Not Applicable
 No violations noted at time of visit.

Signature of Director/Operator/Designee: Clara Fishburne Date 5/5/23 Refused to Sign
 Signature of Child Care Licensing Specialist: Maneyna Rice Date 5/5/23

Division of Early Care and Education

Deficiency Correction

NAME OF PROVIDER/OPERATOR Lowcountry CAA Head Start

PERMIT # 24073

Deficiency Cited	Corrective Action Needed	Expected Date of Correction
TB Test result and Health Assessment(DSS FORM 2926) missing for one staff.	Provider will send send results once the caregiver get it completed.	COB.
Health Assessment(DSS Form 2926) missing for one staff person.	Provider has submitted Health Assessment(DSS Form 2926)	Corrected 5/16/2023

Providers/Operators are required by regulations and statutes to be in compliance at all time.

Licensing Specialist Marilyn Hite Date 5/18/2023