South Carolina Department of Social Services Office of Child Care Licensing INSPECTION VISIT FORM FOR LICENSED CENTERS

Address: 299 Seven Farms Drive, Charleston, SC 29492 Any changes in contact info (Phone/Email/Fax)?	
Maximum number of children: 80 Maximum number of infants: 17 Items posted in public view: Infants: 17 Idensify and in public view: Infants: 17 Infants are in designated rooms? Infants: Infants are in designated rooms? Infants: Infants are in designated rooms? Infants:	N/A
Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1 St Aid on the premises K(5)(h) HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C N Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) PAdequate supervision throughout facility A(1-2) Adequate supervision throughout facility A(1-2) Facility free from pest problems (Insects, rodents) A(8)(b-c) Adequate supervision throughout facility A(1-2) Facility free from pest problems (Insects, rodents) A(8)(b-c) Adequate supervision throughout facility A(1-2) Facility free from pest problems (Insects, rodents) A(8)(b-c) C N N/A Adequate supervision throughout facility A(1-2) Facility free from pest problems (Insects, rodents) A(8)(b-c) C N N/A Adequate supervision throughout facility A(1-2) Facility free from pest problems (Insects, rodents) A(8)(b-c) C N N/A Adequate supervision throughout facility A(1-2) Proper facility following tracking of children procedures A(3) Proper diaper changing trackin	
Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1st Aid on the premises K(5)(h) HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 Wentilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility following tracking of children procedures A(3) Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C N N/A Proper diaper changing practices were observed F(1-16) Proper handwashing practices were observed G(4) Proper handwashing practic	
Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1st Aid on the premises K(5)(h) HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 Wentilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility following tracking of children procedures A(3) Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C N N/A Proper diaper changing practices were observed F(1-16) Proper handwashing practices were observed F(1-16) Proper diaper handwashing practices were observed F(1-16) Playground equi	
At least 1 person with CPR & 1st Aid on the premises K(5)(h) HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) RESTING C N N/A Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C N Alequate changing practices were observed F(1-16) Proper handwashing practices were observed F(1-16) Proper handwashing practices were observed G(4) Proper handwashing practices were obser	N/A
HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C N N/A Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) C N N/A Proper diaper changing practices were observed F(1-16) Proper handwashing practices were observed G(4) Proper handwashing practices were observed F(1-16)	N/A
C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 PHYSICAL SITE 114-507 BUIL DING C N N/A PLAYGROUND C N Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) C N N/A Proper diaper changing practices were observed F(1-16) Proper handwashing practices were observed G(4) Proper handwashing practices were observed F(1-16) Popper handwashing practices were observed F(1-16) Proper diaper changing practices were observed F(2) Proper diaper	0
Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 PHYSICAL SITE 114-507 Wentilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Proper diaper changing practices were observed F(1-16) No smoking/consumption of alcoholic beverage A(3) Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) Paul Ceiling, floors, windows, doors free from hazards A(5)(d) RESTING C N	0
Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C N Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Proper handwashing practices were observed G(4) No smoking/consumption of alcoholic beverage A(3) Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) Playground equip. safe & firmly anchored B(7) Outdoor space free from hazards A(5)(d) RESTING C N RESTING	0
First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C N Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) PHYSICAL SITE 114-507 C N N/A PLAYGROUND C N Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) C N RESTING C N RESTING C N RESTING	-
PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C N Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) PHYSICAL SITE 114-507 C N N/A Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) Pulyground equip. safe & firmly anchored B(7) Outdoor space free from hazards and litter B(2) RESTING C N	
BUILDING C N N/A PLAYGROUND C N Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) C N N/A PLAYGROUND C N Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) C N RESTING C N RESTING C N N/A PLAYGROUND C N Playground equip. safe & firmly anchored B(7) D Outdoor safe & firmly anchored B(7) D Outd	
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) Outdoor space free from hazards and litter B(2) RESTING C N	1111
No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4) Outdoor space free from hazards and litter B(2) RESTING C N	N/A_
Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Ceiling, floors, windows, doors free from hazards A(5)(d) Fencing/safety barriers 4ft. in height, in good repair B(4) Outdoor space free from hazards and litter B(2) RESTING C N	
Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Facility free from pest problems (Insects, rodents) A(8)(b-c) Dutdoor space free from hazards and litter B(2) RESTING C N	0
Facility free from pest problems (Insects, rodents) A(8)(b-c)	0
Gardade Kebt property in plastic lined receptacies A(8) (d-1)	N/A
Electrical outlets are securely covered A(11)(c)	
Sink area has running water A(12)(d) Cots, mats, cribs labeled or charted for each child D(2)	
Soap and disposable towels available at sink A(12)(i) \Box \Box PROGRAM 114-506 C N	N/A
Furniture, toys & equipment are clean and in good repair C(1)	
Furniture, toys & equipment meets the CPSC standards C(2)	
Healthy pets/animals (Vaccination record up-to-date) E(4)	
MEAL REQUIREMENTS 114-508	
C N N/A C N	N/A
Meals & snacks in compliance with USDA A(1)(b)	
Clean, wholesome, unspoiled, properly labeled food A(4)	
Food preparers have proper hair restraints B(5)	
Refrigerators have thermometers, temp under 45°F D(2-3)	
INFANT CARE 114-509 TRANSPORTATION 114-505 I	
C N N/A C N	N/A
Infants are placed on their back to sleep A(5)(a)	<u> </u>
No bottles propped or given in cribs or on mats A(3)(c) □ □ □ Checklist for loading/unloading children reviewed (2)(d) □ □	d
Food for toddlers cut in pieces ½ inch or less A(3)(k)	1
Food for infants cut in pieces ¼ inch or less A(3)(j)	
Crock pots, bottle warmers, are inaccessible to children, No microwaving of beverages observed A(3)(d) C-Compliant with Regulation N-Noncompliant with Regulation	
Cups and bottles labeled with child's name & used only by that child A(3)(a) No violations noted at the time of visit	

Signature of Child Care Licensing Specialist; Bracel Date: 10-24-22 □ Refused to sign Date: 10 24 22