

**SOUTH CAROLINA DEPARTMENT OF SOCIAL SERVICES  
CHILD CARE LICENSING ORIGINAL & RENEWAL INSPECTION CHECKLIST**

Type of Inspection:  Full Evaluation  Provisional Evaluation  Renewal

enter Name: St. Stephen Elementary Head Start  
 RL/App ID #: CC038011  Licensed  Registered  
 Address: 1053 Russellville Rd, SAINT STEPHEN, SC 29479  
 Telephone #: 843-567-2813  
 Any changes in contact info (Phone/Email/Fax)?  Yes  No  
 enter Director/Designee: Erica Wywas-Vanbeek  
 change in Ownership or Director?  Yes  No If yes, Name: \_\_\_\_\_  
 Building 1: \_\_\_\_\_ Building 2: \_\_\_\_\_ Building 3: \_\_\_\_\_  
 Building Capacity: 40  
 maximum number of infants: 40  
 Date of Inspection: 5/8/23 Time of Inspection: 11:15am  
 Hours of Operation: Single Shift  CDEP  GCHH  Center  Faith Based  GCHH  CDEP  
 Overnights Care?  Yes  No

Building 1:  24 months  30 months  1-4 facility  Clear Fire Report  Yes  No  NA Date cleared \_\_\_\_\_

Physical Site		CENTER		FAITH BASED		GCHH		C		N		N/A	
<input type="checkbox"/>	The Approval/ License/ Registration is displayed in public view.	114-503 A.1	114-523 A.1	114-513 A.1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Daily menu dated and posted in conspicuous location in public view.	114-508 A.1	114-528 A.1	114-518 A.1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Building has proper ventilation to include kitchen and bathrooms.	114-507 A.2	114-527 A.2	114-517 A.2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Tobacco free facility	114-505 A.3	114-525 A.3	114-515 A.3	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Decals on all glass doors, placed at eye level of children.	114-507 A.3	114-527 A.3	114-517 A.3	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Adequate lighting for rooms, hallway, bathrooms and fire escapes.	114-507 A.4	114-527 A.4	114-517 A.4	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Ceiling, floors, windows, doors and rugs properly secured.	114-507 A.5(d)	114-527 A.5(d)	114-517 A.5(d)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	No strangulation, choking or suffocation hazards.	114-507 A.5(g)	114-527 A.5(g)	114-517 A.5(h)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Electrical outlets securely covered and inaccessible to children.	114-507 A.11(c)	114-527 A.11(c)	114-517 A.11(c)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Temperature in building between 68 and 80 degrees °F.	114-507 A.7(a)	114-527 A.7(a)	114-517 A.7(a)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Facility has hot and cold water.	114-507 A.6(b)	114-527 A.6(b)	114-517 A.6(b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Trash in restroom and classroom kept in plastic lined container.	114-507A.8(f)	114-527 A.8(f)	114-517 A.8(f)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Facility free from pest problems (insects, rodents, etc.).	114-507 A.8(b)	114-527 A.8(b)	114-517 A.8(b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Furniture, toys & equipment are clean and free from hazards.	114-507 C.1	114-527 C.1	114-517 C.1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Furniture, toys & equipment meet standards of the CPSC.	114-507 C.2	114-527 C.2	114-517 C.2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Bathroom completely enclosed. Private toilet use by preschool & up.	114-507 A.12	114-527 A.12		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Child size toilets & sinks (has seat adapter and sturdy steps).	114-507 A.12(e)	114-527 A.12(e)	114-517 A.12(e)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Soap and disposable towels provided at each sink.	114-507 A.12(i)	114-527 A.12(i)	114-517 A.12(g)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Cots or mats labeled with child's name for use only by that child.	114-507 D.2	114-527 D.2	114-517 D.2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Cots and mats stored so that the side child lies on does not touch floor.	114-507 D.6	114-527 D.6	114-517 D.6	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Poisons/harmful agents locked, labeled and stored properly.	114-507 E.1	114-527 E.1	114-517 E.1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Only healthy pets/animals permitted. (Vaccination records up-to-date)	114-507 E.4	114-527 E.4	114-517 E.4	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Ratio chart prominently posted in each classroom.	114-504 B.1	114-524 B.1		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Emergency phone numbers posted (police, fire and poison control).	114-503 J.2	114-523 G.2	114-513 J.2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Internal means of communication among staff.	114-503 J.3			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Parents have free & full access.	114-503 F.1		114-513 F.1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	If overnight care is provided, requirements have been met.	114-509 C	114-529 C	114-519 C	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Age appropriate radio, TV, VCR and DVD for children use.	114-506 A.7		114-516 A.7	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Staff files are in compliance to include required training hours.	114-503 F(1-4)	114-523 H(1-7)	114-513 H(1-7)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

C = Compliant with Regulation, N = Noncompliant with Regulation, N/A = Not Applicable

No violations noted at time of visit.

Signature of Director/Operator/Designee: \_\_\_\_\_ Date: 5/8/23  Refused to Sign

Signature of Child Care Licensing Specialist: \_\_\_\_\_ Date: 5/8/23

Licensing Specialist Oliver M. [Signature] Date 5/12/23

Providers/Operators are required by regulations and statutes to be in compliance at all time.

Deficiency Cited	Corrective Action Needed	Expected Date of Correction
Training for staff members were not completed for 2021 and 2022.	Training needs to be completed in the year that it is due.	6/12/2023

NAME OF PROVIDER/OPERATOR St. Stephen Elementary Head Start  
 PERMIT # 24153

Deficiency Correction

Division of Early Care and Education