## South Carolina Department of Social Services Office of Child Care Licensing INSPECTION VISIT FORM FOR LICENSED CENTERS

Facility Name: Children's Academy of Spartanburg Date of Inspection: 61923 Time of Inspection: 10:55<sup>2</sup>ermit #: 25623 Type of Inspection: Annual 

Complaint □ Follow Up (original inspection date Reason for Follow up: 

clear up pending deficiency 

Self-Report Address: 195 S Converse Street, SPARTANBURG, SC 29306 Hours of Operation: Single Shift elephone #: 864-595-3727 Any changes in contact info (Phone/Email/Fax)? □ Yes 📈 No Overnight Care? 

Yes No Center Director/Designee: Zeverly Glenn Change in Ownership or Director? 

Yes Mo If yes, Name: laximum number of children: 90 Building 1: Building 2: Building 3: Maximum number of infants: 38 □ CDEP □ 24 months vz 30 months □ I-4 facility Infants are in designated rooms 2 ✓ Yes □ No □ N/A tems posted in public view: License Menu Ratio Chart (All classrooms) Does facility transport children? Yes - No - N/A MANAGEMENT, ADMINISTRATION & STAFFING 114-503 SUPERVISION 114-504 N/A Staff files are in compliance H(1-7) N N/A Adequate supervision throughout facility A(1-2) О Training hours up-to-date K(5)(b-c) Facility following tracking of children procedures A(3) At least 1 person with CPR & 1<sup>St</sup> Aid on the premises K(5)(h) ď Ratios adequate in all classrooms and on playground B, C w HEALTH, SANITATION & SAFETY 114-505 С N N/A С Ν Children's faces/hands are clean B(1) N/A V Proper diaper changing practices were observed F(1-16) Medicine and harmful items labeled and stored property D(2) 0 V Proper handwashing practices were observed G(4) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Ø No smoking/consumption of alcoholic beverage A(3) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) C N N/A Ø Playground equip. safe & firmly anchored B(7) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ø Adequate cushioning material; at least 6ft fall zone B(9) Ceiling, floors, windows, doors free from hazards A(5)(d) ď 0 Fencing/safety barriers 4ft. in height, in good repair B(4) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Outdoor space free from hazards and litter B(2) Vď Facility free from pest problems (Insects, rodents) A(8)(b-c) <u>v</u> RESTING Garbage kept properly in plastic lined receptacles A(8) (d-i) С Ν N/A Ø Play Pens observed C(4) Electrical outlets are securely covered A(11)(c) Cribs meet federal standards (reviewed certificate) D(1) Ø Sink area has running water A(12)(d) ø d Cots, mats, cribs labeled or charted for each child D(2) Soap and disposable towels available at sink A(12)(i) W V **PROGRAM 114-506** Furniture, toys & equipment are clean and in good repair C(1) C N N/A ď Written, planned, daily program of activities that is Furniture, toys & equipment meets the CPSC standards C(2) developmentally & age appropriate observed A(1-3) ď Healthy pets/animals (Vaccination record up-to-date) E(4) Positive, non-abusive discipline practice B(1) MEAL REQUIREMENTS 114-508 C N N/A Meals & snacks in compliance with USDA A(1)(b) C Ν N/A Ø Round, firm foods are not offered to children under 4 Clean, wholesome, unspoiled, properly labeled food A(4) ď yrs. Old, unless properly cut to prevent choking risk A(3) Food preparers have proper hair restraints B(5)  $\varphi'$ ď Food stored & handled properly D(1) Refrigerators have thermometers, temp under 45°F D(2-3) ÇZ' o All cleaning & poisonous items stored away from food D Ø INFANT CARE 114-509 Ø o 0 TRANSPORTATION 114-505 I C N N/A Infants are placed on their back to sleep A(5)(a) N/A ø Vehicle has proper safety restraints & in good repair I(1) No bottles propped or given in cribs or on mats A(3)(c) V V Checklist for loading/unloading children reviewed (2)(d) Food for toddlers cut in pieces ½ inch or less A(3)(k) V Driver's (valid) driver's license reviewed (1)(f) ood for infants cut in pieces 1/2 inch or less A(3)(j) la JZ/ Crock pots, bottle warmers, are inaccessible to children, No C-Compliant with Regulation nicrowaving of beverages observed A(3)(d) N-Noncompliant with Regulation Sups and bottles labeled with child's name & used only by that :hild A(3)(a) No violations noted at the time of visit  $\square$ Signature of Director/Operator/Designee: Date: 4 19/23 

Refused to sign Signature of Child Care Licensing Specialist:

	1		1
Page	<u> </u>	of	<u> </u>

## <u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

NAME OF PROVIDER/OPERATOR	The Children's	Academy	of Spartanburg
PERMIT #25623			

Deficiency Cited	Corrective Action Needed	Expected Date of Correction
A thermometer is needed in the infant room refrigerator.	The director will purchase a thermometer for the refrigerator.	6/26/23

at all time.	d by regulations and statutes to	be in compliance
Licensing Specialist	Opilali, Date	6/19/23