South Carolina Department of Social Services Office of Child Care Licensing INSPECTION VISIT FORM FOR LICENSED CENTERS

Date of Inspection: 96-22 Time of Inspection: 46.30 Facility Name: MacFeat Early Childhood Lab School Type of Inspection: Annual Complaint Follow Up (original inspection date Permit #: 358 Reason for Follow up: a clear up pending deficiency a Self-Report Address: 41 Withers/W.T.S. Bldg., Winthrop Univ., ROCK HILL, SC 29730 Hours of Operation: Single Shift Telephone #: 803-323-2219 Any changes in contact info (Phone/Email/Fax)?

Yes Overnight Care? - Yes - No Center Director/Designee: Melanie Lynn Sanders Change in Ownership or Director?

Yes

Holf yes, Name: Building 1: Building 2: _ Maximum number of children: 61 Building 3: □ CDEP Maximum number of infants: 3 □ 24 months □ 30 months □ I-4 facility Infants are in designated rooms? Yes No No Items posted in public view: d'License Allenu Ratio Chart (All classrooms) Does facility transport children? Des Does facility transport children? Pes Des Does facility transport children? MANAGEMENT, ADMINISTRATION & STAFFING 114-503 SUPERVISION 114-504 C N N/A C N N/A Staff files are in compliance H(1-7) Adequate supervision throughout facility A(1-2) 0 Training hours up-to-date K(5)(b-c) Facility following tracking of children procedures A(3) At least 1 person with CPR & 1St Aid on the premises K(5)(h) 0 Ratios adequate in all classrooms and on playground B, C 4 HEALTH, SANITATION & SAFETY 114-505 C N N/A N/A Children's faces/hands are clean B(1) 8 Proper diaper changing practices were observed F(1-16) 8 Medicine and harmful items labeled and stored properly D(2) 4 Proper handwashing practices were observed G(4) 0 o First Aid kit in facility and in vehicle if transport E(1), I(1)(g) 6 No smoking/consumption of alcoholic beverage A(3) PHYSICAL SITE 114-507 BUILDING PLAYGROUND C Νİ N/A CN N/A Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) 4 Playground equip. safe & firmly anchored B(7) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Adequate cushioning material: at least 6ft fall zone B(9) Ceiling, floors, windows, doors free from hazards A(5)(d) Fencing/safety barriers 4ft. in height, in good repair B(4) 5 0 Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Outdoor space free from hazards and litter B(2) Ø Facility free from pest problems (Insects, rodents) A(8)(b-c) RESTING C N N/A 0 Garbage kept properly in plastic lined receptacles A(8) (d-i) Play Pens observed C(4) ø Electrical outlets are securely covered A(11)(c) **@** Cribs meet federal standards (reviewed certificate) D(1) Sink area has running water A(12)(d) Cots, mats, cribs labeled or charted for each child D(2) 6 0 С Soap and disposable towels available at sink A(12)(i) N 3 0 **PROGRAM 114-506** N/A Furniture, toys & equipment are clean and in good repair C(1) Written, planned, daily program of activities that is t п \Box Furniture, toys & equipment meets the CPSC standards C(2) developmentally & age appropriate observed A(1-3) ď Healthy pets/animals (Vaccination record up-to-date) E(4) Positive, non-abusive discipline practice B(1) MEAL REQUIREMENTS 114-508 С C N N/A N N/A Meals & snacks in compliance with USDA A(1)(b) Round, firm foods are not offered to children under 4 ď 0 Clean, wholesome, unspoiled, properly labeled food A(4) yrs. Old, unless properly cut to prevent choking risk A(3) Food preparers have proper hair restraints B(5) Food stored & handled properly D(1) Refrigerators have thermometers, temp under 45°F D(2-3) All cleaning & poisonous items stored away from food D **INFANT CARE 114-509** TRANSPORTATION 114-505 I CN N/A С N N/A Infants are placed on their back to sleep A(5)(a) Vehicle has proper safety restraints & in good repair I(1) Checklist for loading/unloading children reviewed (2)(d) No bottles propped or given in cribs or on mats A(3)(c) Food for toddlers cut in pieces ½ inch or less A(3)(k) Driver's (valid) driver's license reviewed (1)(f) 0 0 Food for infants cut in pieces 1/4 inch or less A(3)(j) **C-Compliant with Regulation** Crock pots, bottle warmers, are inaccessible to children, No **4** N-Noncompliant with Regulation microwaving of beverages observed A(3)(d) Cups and bottles labeled with child's name & used only by that No violations noted at the time of visit child A(3)(a) Date: 9/4/23 □ Refused to sign

Date: 9-6-23 Signature of Director/Operator/Designee: __

Signature of Child Care Licensing Specialist:

	1		1
Page		of	<u> </u>

<u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

	Needed	Expected Date of Correction
Areas of the fence have paps at the bottom and peed to be secured.	The fence needs to be secured at the bottom.	10/6/23