## South Carolina Department of Social Services Office of Child Care Licensing INSPECTION VISIT FORM FOR REGISTERED FAITH BASED CHIL

acility Name: Blessed Sacrament Catholic School				Date of Inspection: Time of Inspection: Time of Inspection: Complaint - Follow Up (original Inspection date Reason for Follow up: opending deficient			1
	cont	act in	ifo (P	Hours of Operation: Single Shift hone/Email/Fax)?   Yes   No   Overnight Care	2 -	Voc	Lu
enter Director/Designee: Sophie Fulmer hange in Ownership or Director?  aximum number of children: 80 Building 1:	yes, 1	Name mont	e: Buildi	ing 2: Building 3: -4 facility Infants are in designated rooms? □ Yes □ No	_		Z M
MANAGEMENT 114-523	C	N	,N/A	APPLICATION OF STAFF: CHILD RATIOS 114-524		7	N/A
Staff files are in compliance F(1-4)	0	3	0	Adequate supervision throughout the facility A(1) (a-b)			7 0
Are training hours up-to-date? F(3)(a-b)	10		0		-	_	0
At least 1 person with CPR & 154 Aid on the premises H(5)(f)	10	-	<u> </u>	Ratios adequate in all classrooms and on playground B & C			
	.TH, S	SANI	TATIC	ON & SAFETY 114-525			
Object of the state of the stat	C		N/A		C	<u>   N</u>	-
Children's faces/hands are clean B(1)	12		0	Proper diaper diapering practices were observed F(1-16)	<u>  0</u>	10	a
Medicine & harmful items labeled and stored properly D(2)	2	0	0	Proper handwashing practices were observed G(4)	10	10	0
First Aid kit in facility and in vehicle if transport E(1), I(1)(g)			O	Smoking permitted only in designated area A(3)	B	<u> 10</u>	0
PHY	SICA	L SIT	E 114	1-527	16		TESTS
CANADA WALLEY WAS IN THE WALLEY OF			N/A		С	N	NA
BUILDING				PLAYGROUND	0	0	0
Ventilation and lighting sufficient A(2)(a-d),(4)(a-c)	19	70	0	Outdoor space free of glass, paper & other litter B(2)	6	70	_
Celling, floors, windows, doors free from hazards A(5)(d)	10	0	0	Fencing/safety barriers 4ft in height, in good repair 8(4)	6	0	D
No strangulation/choking/suffocation hazards A(5)(g)(i-iii)	<b>a</b>	0	0	Playground equipment safe & firmly anchored C (6)	6	.0	0
Building(s) temp between 68-80 °F A(7)	9	0	0	Adequate cushioning material; at least 6ft. fall zone C(6)	0	10	0
Facility free from pest problems (Insects, rodents)A(8)(b-c)	19		0	RESTING	C	N	NA
Garbage kept properly in plastic lined receptacles A(8)(d-l)	16		0	Cribs meet federal standards (reviewed certificate) D(1)	6	70	0
Electrical outlets are securely covered A(11)(c)	16		0	Cots, beds, mats, & cribs labeled for each child D(2)	6	ŀο	0
Sink area has hot & cold water A(12)(d)	19	_	0	Pack & plays not used for sleeping D(1-2)	8	0	0
Soap and towels in restrooms A(12)(i)	16	_	0	TRANSPORTATION 114-525 I	0	D	Z
Furniture, toys & equipment are clean and in good repair C(1)	10	_	0	Vehicle has proper safety restraints and in good repair I(1)	0.	0	8
Furniture, toys & equipment meets CPSC standards C(2)	P	0	0	Checklist for loading/unloading children reviewed. I(2)(d)	0	0	6
MEAL F				S 114-528			
THE RESERVE AND ADDRESS OF THE PARTY OF THE	C		N/A		С	N	NA
Meals and snacks in compliance with USDA A(1)(b)	6	$\overline{}$	0	Round, firm foods are not given to children under 4ylo,		-	3-53
clean, wholesome, unspoiled properly labeled food A(4)	06	_	0	unless properly cut to prevent choking risk. A(3)	6	0	0
ood preparers have proper hair restraints B(5)	0	0	0	Food labeled, stored and handled properly D(1)	P	0	0
tefrigerators have thermometers(Temp under 45°F)D(2-3)	9		D	Cleaning & poisonous items stored away from food D(8)	1	n.	0
INFA	INT C	ARE	114-	529	1		17 15
					C	N.	N/A
ups and bottles labeled with child's name & used only by that c	hiid A	(U)	1		ㅁ	0	10
o bottles propped or given in cribs or on mats A(1)(c)		_			0	0	1
reast milk is not heated in the microwave. If microwave is used	to he	at for	mula/	beverages, parents are notified in writing A(1)(d)			1
ood for toddiers cut in pieces 1/2 inch or less. A(1)(k)						٥	8
ood for infants cut in pieces 1/2 inch or less. A(1)(1)					0	О	8
fants are placed on their backs to sleep, unless Doctor's note k	prov	rided.	A(3)	(a)	0		1
	Sp.	- 10					1500
C = Compliant with Regulation - N = Noncompliant with R Signature of Director/Operator/Designed	O C	tlon		No violations noted at the time of visit   Date: 9/27/23 Petus	ed to s	sign	333
Signature of Child Care Licensing Specialist	V			Date: / 0 0.3			

	1	1	
Page	<u> </u>	_ of	

## <u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

NAME OF PROVIDER/OPERATOR Blessed Sacrament Catholic School PERMIT # 23826

Deficiency Cited	Corrective Action Needed	Expected Date of Correction
1 employee missing TB results	Have employee turn in TB results from their health care provider	10/5/23
Wet/Moldy ceiling tiles observed in the bathroom	Change ceiling tiles and check for possible roof leak	10/5/23
1 employee doesn't have clear SLED/FBI results	Have background check for employee	10/5/23
1 room out of ratio due to unauthorized caregiver	Have employee get background checked so room will be in ratio	10/5/23
		-

Providers/Operators are required by regulations and statutes to be in compliance at all time.

09/25/23