South Carolina Department of Social Services Office of Child Care Licensing

Operator Name:La'Keidra White

Permit #: 25703

INSPECTION VISIT FORM FOR LICENSED FAMILY CHILD CARE HOMES

Type of Inspection: X Annual

Complaint

Renewal

Follow Up (original inspection date_

Date of Inspection: <u>10/18/2023</u> Time of Inspection: <u>10:55AM – 11:25AM</u>

Address: 322 Long Grove Lane, GREER, SC 29650				Reason for Follow up: clear up pending deficiency Hours of Operation: Single Shift			•	
Telephone #: 843-372-2080 Any changes in contact info Change in address? • Yes X No Zoning restrictions • Yes X No) (Pho	ne/E	mail/F	fax)? □ Yes XNo Overnight Care? □ Y	es 🗴	No.		
Change in address? □ Yes X No Total Capacity: 6 Zoning restrictions □ Yes X No Items to be posted: X Licens	VO • م 11.4.	528	D/2) V	Monu III D(4)/a)				
Verify the following: Verified Liability Insurance 63-13-210 □ Yes X	No I	f no	verify o	signed statements from narrents V Voc. — No. — N/A				
, , , , , , , , , , , , , , , , , , , ,		,	voiny c	ngined statements from parents. A res NO N/A				
HEALTH SANIT	ATIO	1190	ACET	Y - SUGGESTED STANDARDS		-	_	
	С	N	N/A	1 · 3000E3TED STANDARDS			200	
Did you observe proper diaper changing practices III A(2)(a)	V		0	Medicine labeled & stored properly III A(4)	C	N	N/A	
First aid supplies in home III A (5-6)	V		-	Children's faces/hands clean III A(2)(b)	M.		0	
Any pets/animals? IV B(1)(g) Type of animal gwood		bz∕Ŷes □ No			V			
(Dog, cat, etc.)	100			Have pets/animals been vaccinated? IV B(1)(g)			. 0	
Lighting & ventilation sufficient IV B(1)(f)	K	_		Outdoor toys & equipment in safe, good condition IV	+		-	
Cornet coiling floors floors floors floors	1			A(3)(b)	1		0	
Carpet, ceiling, floors, & rugs are clean & secure IV B(1)(d)	10	0	0	Unsafe areas fenced/safety barriers in place IV A(2)(a)	12	0	0	
Soap & single service towels in restrooms IV B(3)(c)	18			Grounds free of glass, paper & other litter IV B(1)(b)	12	0		
Sink area has bot 9 and water By Byoy.	0			Infants are placed on their backs (Unless Doctor note is				
Sink area has hot & cold water IV B(2)(a-b)	+-			provided) 63-13-830 (e)(1)			6	
strangulation, choking, or suffocation hazards IV A(3)(a)	8			Pack & Plays used for sleeping IV B(5)(a)(1-2)	0		1	
Home free from pest problems(insects, rodents) IV B(1)(c)	12	_	Q	Cots, beds, mats, & cribs available for each child IV B(5)(a)(1-2)	12	0	0	
Garbage & refuse stored in a durable container IV B(4)(b)	8			Cribs meet federal standards (reviewed cert.) IV A(3)(c)	 		1	
Any serious injuries requiring medical attention?	- Y	es d	No	Any fatalities?	-		-	
PROGRAM - SUGGESTED STANDARDS								
	С	N	N/A		С	N	N/A	
Daily schedule-developmentally appropriate activities for children III C(1)			0	Emergency or disaster plan I A(1)(j)	D	'	10//	
		_	_	JGGESTED STANDARDS	Ť			
	C	N	N/A	JOGESTED STANDARDS				
Food stored & handled properly IV B (6)(a)	7		187	Mode & anadra in compliance III DVA	C	N.	N/A	
Refrigerators have thermometers, temp 45°F or below IV	1-	+-	+	Meals & snacks in compliance III D(1)	V		□	
B(6)(a)	8							
STAFFING / S	UPER	₹VISI	ON - S	SUGGESTED STANDARDS			10-10	
	С	N			С	N		
Staff observed were qualified? 63-13-830 (C)	e			Is provider over capacity? 114-528D(3)				
Proper supervision observed?	Ter	0]	Number of children observed: 3		-		
Training hours up-to-date? 63-13-825	مين ا					$\overline{}$		

Suggested Standards are mandated requirements for Family Child Care Home operators who elect to be licensed

C = Compliant with Regulation - N = Noncompliant with Regulation | No violations noted at the time of visit

<u>Supervision</u>: Care provided to an individual child or group of children. Adequate supervision requires awareness of and responsibility for the ongoing activity of each child, knowledge of activity requirements and children's needs and accountability for their care. Adequate supervision also requires the operator and/or staff being near and having ready access to children in order to intervene when needed.

Signature of Operator/Emergency Person:	Date: 10 18 23	☐ Refused to sign
Signature of Child Care Licensing Specialist:	Date: 10 18 23	