South Carolina Department of Social Services Office of Child Care Licensing

INSPECTION VISIT FORM FOR LICENSED CENTERS

Date of Inspection:

acility Name: Kids Garden

∍rmit #: 25708	Type of Inspection: ₽Ann	ual	Co	mplain	t □ Follow Up (original inspection date Reason for Follow up: □ clear up pending deficience	 2v 🗆 S) elf-R	eport
	Suite B, SUMMERVILLE, SC 29483				Hours of Operation: Single Shift	,		-р
elephone #: 843-641-8255	Any changes in	conta	ict in	fo (Pho	one/Email/Fax)? □ Yes □ No Overnight Care? □	Yes	UN	0
enter Director/Designee:	natara - Van Attiture Ali							
aximum number of children	ector? Yes No If yes, Name:		_	D. J	LP 0			
aximum number of children aximum number of infants:		90	50.0 H	Bui	Iding 2: Building 3:	CDE	:P	
		hart (All c	lassroo	4 facility Infants are in designated rooms? Yes many Does facility transport children? Yes No N	i No d I/A	3 N/A	4
MANAGEMENT, ADMINIST	FRATION & STAFFING 114-503				SUPERVISION 114-504			34 - 10
Ctoff files are in compliance	LI(4.7)	C	N	N/A		С	N	N/A
Staff files are in compliance Training hours up-to-date K		1			Adequate supervision throughout facility A(1-2)	_ 6		
	& 1st Aid on the premises K(5)(h)	1			Facility following tracking of children procedures A(3) Ratios adequate in all classrooms and on playground B, C	70		-
A STATE OF THE STA					& SAFETY 114-505	1	0	
		C,	N	N/A	G OAI ETT 114-503	С	l NI	AI/A
Children's faces/hands are o	clean B(1)	16			Proper diaper changing practices were observed F(1-16)		N_	N/A
	labeled and stored properly D(2)	1	-	<u> </u>	Proper handwashing practices were observed F(1-16)	1	-	
	vehicle if transport E(1), I(1)(g)	8			No smoking/consumption of alcoholic beverage A(3)	岩	0	-
		SICA	I .	TE 114	-507			
	UILDING	С	N	N/A	PLAYGROUND	С	N	N/A
Ventilation and lighting & suf		P/		0	Playground equip. safe & firmly anchored B(7)			-
	focation hazards A(5)(g)(i-iii)	3			Adequate cushioning material; at least 6ft fall zone B(9)	9	_	0
Ceiling, floors, windows, doo					Fencing/safety barriers 4ft. in height, in good repair B(4)	DI		
	8-80°F A(7) If no, close in 4 hrs.	ļ <u> </u>			Outdoor space free from hazards and litter B(2)	0/		0
	ms (Insects, rodents) A(8)(b-c)				RESTING	C	N	N/A
	stic lined receptacles A(8) (d-i)	=			Play Pens observed C(4)	9/		0
Electrical outlets are securely	1 11 -				Cribs meet federal standards (reviewed certificate) D(1)			
Sink area has running water			0		Cots, mats, cribs labeled or charted for each child D(2)	Ø		
Soap and disposable towels	are clean and in good repair C(1)	4			PROGRAM 114-506	С	N	N/A
	meets the CPSC standards C(2)	a a	0	0	Written, planned, daily program of activities that is	8		
	nation record up-to-date) E(4)		-		developmentally & age appropriate observed A(1-3) Positive, non-abusive discipline practice B(1)	.	-	
					S 114-508	6		
		С		N/A		С	ΝŢ	N/A
Meals & snacks in compliand		Ø			Round, firm foods are not offered to children under 4	9/		
Clean, wholesome, unspoiled		P	, 0		yrs. Old, unless properly cut to prevent choking risk A(3)		-	
Food preparers have proper			, 🗆		Food stored & handled properly D(1)		0	0
	eters, temp under 45°F D(2-3) CARE 114-509	Ø.			All cleaning & poisonous items stored away from food D			
INFAINI	CARE 114-309	С	NI.	NI/A	TRANSPORTATION 114-505 I		- Line	
Infants are placed on their ba	ick to sleen A/5)/a)		N	N/A	Vahigla has propor cofety restraints 8 in mand and 1441	-	N	N/A
No bottles propped or given in				9	Vehicle has proper safety restraints & in good repair I(1)	_	0	NA O
Food for toddlers cut in piece			-	4	Checklist for loading/unloading children reviewed (2)(d) Driver's (valid) driver's license reviewed (1)(f)	-	_	-
Food for infants cut in pieces			5		billyer's (valid) driver's license reviewed (1)(f)			
	re inaccessible to children, No			7	C-Compliant with Regulation			
microwaving of beverages ob				D	N-Noncompliant with Regulation			
	child's name & used only by that	_	0		No violations noted at the time of visit □			
Signature of Director/Operat	m	70	O	ب	Date: 11-1-25 □ Refused to	sign		
Signature of Unitd Care Lice	rising specialist:	-			Date:			

	1	1	
Page	<u> </u>	_of	

<u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

NAME OF PROVIDER/OPERATOR Kids Garden PERMIT #25708

Deficiency Cited	Corrective Action Needed	Expected Date of Correction
Probe thermometer is missing from the kitchen.	Provide a probe thermometer for the kitchen.	11/30/2023

Providers/Operators are required by regulations and statutes to be in compliance at all time.

Licensing Specialist_

Date_11/1/2023