acility Name: Field of Dreams at Edgewater

ermit #: 24952

Date of Inspection: 5/2/2023 Time of Inspection: 9:35am - 12:02pm

Type of Inspection: Renewal	Type of Inspection: Renewal						
idress: 1080 Edgewater Corp.Parkway. Fort Mill, SC 29707  Hours of Operation: 7:00am - 6:00mm							
		DL -	//=	Hours of Operation: 7:00am - 6:00pm		/	,
enter Director/Designee: Christian Nicole Pouge	into (	Pno	ne/Ema	ail/Fax)? □ Yes 🗗 No Overnight Care? □ '	Yes	₽/No	D
hange in Ownership or Director? Let Yes Director Name:	1/00	dia	A 3 # 1.	in Doine.			
aximum number of children: 316 Building 1: $\nu$	ogura.	<u>UI/U</u>	10/10/	dia a O			
aximum number of infants: 137	Z0 -		build No - J	ding 2: Building 3:	CDE	.P	
ms posted in public view.  License ( Menu  Matio Ch	1 30 II	HOILL HEAL	115 U 1-4	facility Infants are in designated rooms? Yes	No 🗆	ı N/A	¥.
	iai i (r	VII UIC	1551001	iis) Does facility transport children? (27 Yes - No - N	/A		
MANAGEMENT, ADMINISTRATION & STAFFING 114-503				SUPERVISION 114-504		-8	
	С	N	N/A		С	N	N/A
Staff files are in compliance H(1-7)		10		Adequate supervision throughout facility A(1-2)	Z	_	_
Training hours up-to-date K(5)(b-c)		0		Facility following tracking of children procedures A(3)		<del>/-</del> -	+-
At least 1 person with CPR & 1 <sup>St</sup> Aid on the premises K(5)(h)	10			Ratios adequate in all classrooms and on playground B. C.		4_	_
HEALTH				\$ SAFETY 114-505			
	С	N	N/A		С	N	N/A
Children's faces/hands are clean B(1)	V			Proper diaper changing practices were observed F(1-16)		0	0
Medicine and harmful items labeled and stored properly D(2)	ø			Proper handwashing practices were observed G(4)		1 -	
First Aid kit in facility and in vehicle if transport E(1), I(1)(g)	V			No smoking/consumption of alcoholic beverage A(3)	<u> </u>		b
			E 114-	507			
BUILDING	C,	N_	N/A	PLAYGROUND	C,	N	N/A
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)	Ø			Playground equip. safe & firmly anchored B(7)	<b>W</b>		
No strangulation/choking/suffocation hazards A(5)(g)(i-iii)	16			Adequate cushioning material; at least 6ft fall zone B(9)	16	0	
Ceiling, floors, windows, doors free from hazards A(5)(d)	16			Fencing/safety barriers in good repair B(4)	1/2		0
Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	16			Outdoor space free from hazards and litter B(2)	V		0
Facility free from pest problems (Insects, rodents) A(8)(b-c)	16		_ 0	RESTING	C	N	N/A
Garbage kept properly in plastic lined receptacles A(8) (d-i)	凶		0	Play Pens observed C(4)			td
Electrical outlets are securely covered A(11)(c)	Ø	` <u> </u>		Cribs meet federal standards (reviewed certificate) D(1)	W		
Sink area has running water A(12)(d)	M			Cots, mats, cribs labeled or charted for each child D(2)	v		
Soap and disposable towels available at sink A(12)(i)	凶	0		PROGRAM 114-506	C	N	N/A
Furniture, toys & equipment are clean and in good repair C(1)	凶	0		Written, planned, daily program of activities that is	K		
Furniture, toys & equipment meets the CPSC standards C(2)	M	0	0	developmentally & age appropriate observed A(1-3)	1/21		
Healthy pets/animals (Vaccination record up-to-date) E(4)	0		ig Maria	Positive, non-abusive discipline practice B(1)	V	0	
WEAL	C	VIRE N	N/A	S 114-508			
Meals & snacks in compliance with USDA A(1)(b)			IN/A	Round, firm foods are not offered to children under 4	С	_N_	N/A
Clean, wholesome, unspoiled, properly labeled food A(4)	9	0		yrs. Old, unless properly cut to prevent choking risk A(3)	<u> </u>		0
Food preparers have proper hair restraints B(5)	7	. 0		Food stored & handled properly D(1)	<b>1</b>		
Refrigerators have thermometers, temp under 45°F D(2-3)	5	0		All cleaning & poisonous items stored away from food D	4	<u> </u>	
INFANT CARE 114-509			7.7	TRANSPORTATION 114-505 I	7		
	С	N	N/A		C	N	N/A
Infants are placed on their back to sleep A(5)(a)				Vehicle has proper safety restraints & in good repair I(1)	10		0
No bottles propped or given in cribs or on mats A(3)(c)	vz		0	Checklist for loading/unloading children reviewed (2)(d)			0
Food for toddlers cut in pieces 1/2 inch or less A(3)(k)	囡	0		Driver's (valid) driver's license reviewed (1)(f)			0
Food for infants cut in pieces 1/4 inch or less A(3)(j)	17						
Crock pots, bottle warmers, are inaccessible to children, No				C-Compliant with Regulation	32 N	· · · · · III	A 133
microwaving of beverages observed A(3)(d)	19			N-Noncompliant with Regulation			
Cups and bottles labeled with child's name & used only by that	62	/ <sub>0</sub>					
child A(3)(a)	<b>1</b>			No violations noted at the time of visit			,=19=8

Signature of Director/Operator/Designee: (no signature required due to virtual inspection completed)

Signature of Child Care Licensing Specialist:

\_\_ Date: 5/2/2023

Page 1 of 2

## <u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

## NAME OF PROVIDER/OPERATOR Field of Dreams at Edgewater PERMIT # 24952

Deficiency Cited	Corrective Action Needed	Expected Date of Correction
2023 Emergency medical plan incomplete.	Facility should have up to date plan.	12/13/23
2023 Evacuation plan incomplete.	Facility should have up to date plan.	12/13/23
Staff hired without SLED/FBI criminal background checks.	To provide childcare services a person must first undergo criminal background checks	СОВ
Criminal background checks should be performed based on new fed/state law	Fingerprint based background checks are to be repeated every five	СОВ
Staff health assessment needed for <b>2</b> staff.	Health assessment should be obtained upon hire or within 30 days of hire date.	12/13/23
TB verification needed for <b>7</b> staff.	DHEC 1420 should be obtained upon hire date.	12/13/23

Providers/Operators are required by regulations and statutes to be in compliance at all time.

Licensing Specialist_	$\mathcal{A}$	<sub>Date</sub> 11/13/2023
		· · · · · · · · · · · · · · · · · · ·

	2	2	
Page	_	of C	

## <u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

NAME OF PROVIDER/OPERATOR	Field of Dreams at Edgewater
PERMIT #24952	

Deficiency Cited	Corrective Action Needed	Expected Date of Correction
Training hours incomplete for 16 staff.	All staff including director should obtain training hours annually.	1/13/24

Providers/Operators are required by regulations and statutes to be in compliance at all time.

Licensing Specialist	$\wp$	Date 11/13/2023
	1	