## South Carolina Department of Social Services

Office of Child Care Licensing

INSPECTION VISIT FORM FOR REGISTERED FAITH BASED CHILD CARE CENTERS

ptist Church CDC

Date of Inspection: 222

Time of Inspection: 122 Facility Name: Georges Creek Baptist Church CDC Type of Inspection: Annual 

Complaint 

Follow Up (original inspection date\_ Permit #: 662 Reason for Follow up: pending deficiencies pself-report Hours of Operation: Single Shift Address: 1991 Saluda Dam Road, EASLEY, SC 29640 Overnight Care? - Yes du No Telephone #: 864-859-1195 Center Director/Designee: Teddi Lynette Caldwell Change in Ownership or Director? ☐ Yes No If yes, Name: Building 3: Building 2: Maximum number of children: 341 Building 1: \_\_ □ 24 months □ 30 months □ I-4 facility Infants are in designated rooms? □ Yes □ No □ N/A Maximum number of infants: 24 Items posted in public view: A Registration A Menu A Ratio Chart (All classroom) Does facility transport children? APPLICATION OF STAFF: CHILD RATIOS 114-524 MANAGEMENT 114-523 C N N/A N . N/A Adequate supervision throughout the facility A(1) (a-b) Staff files are in compliance F(1-4) W Facility following tracking of children procedures A(2) M Are training hours up-to-date? F(3)(a-b) 0 At least 1 person with CPR & 1st Aid on the premises H(5)(f) Ratios adequate in all classrooms and on playground B & C HEALTH, SANITATION & SAFETY 114-525 C N N/A C N N/A Proper diaper diapering practices were observed F(1-16) Children's faces/hands are clean B(1) ø M U Proper handwashing practices were observed G(4) Medicine & harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Smoking permitted only in designated area A(3) o PHYSICAL SITE 114-527 C N N/A C N N/A BUILDING PLAYGROUND 0 Outdoor space free of glass, paper & other litter B(2) Ventilation and lighting sufficient A(2)(a-d),(4)(a-c) Fencing/safety barriers 4ft in height, in good repair B(4) Ceiling, floors, windows, doors free from hazards A(5)(d) Playground equipment safe & firmly anchored C (6) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) 0 Building(s) temp between 68-80 °F A(7) Adequate cushioning material; at least 6ft. fall zone C(8) V RESTING Facility free from pest problems (Insects, rodents)A(8)(b-c) C N N/i Garbage kept properly in plastic lined receptacles A(8)(d-i) Cribs meet federal standards (reviewed certificate) D(1) Electrical outlets are securely covered A(11)(c) Cots, beds, mats, & cribs labeled for each child D(2) Q Sink area has hot & cold water A(12)(d) Pack & plays not used for sleeping D(1-2) Soap and towels in restrooms A(12)(i) **TRANSPORTATION 114-525 I** à Furniture, toys & equipment are clean and in good repair C(1) Vehicle has proper safety restraints and in good repair I(1) **'**0 Furniture, toys & equipment meets CPSC standards C(2) Checklist for loading/unloading children reviewed. I(2)(d) 0 **MEAL REQUIREMENTS 114-528** CN N/A N Meals and snacks in compliance with USDA A(1)(b) Round, firm foods are not given to children under 4y/o, 口 Clean, wholesome, unspoiled properly labeled food A(4) unless properly cut to prevent choking risk. A(3) Food preparers have proper hair restraints B(5) Food labeled, stored and handled properly D(1) Refrigerators have thermometers(Temp under 45°F)D(2-3) Cleaning & poisonous items stored away from food D(8) 6 INFANT CARE 114-529 Cups and bottles labeled with child's name & used only by that child A(1)(a) No bottles propped or given in cribs or on mats A(1)(c) Breast milk is not heated in the microwave. If microwave is used to heat formula/beverages, parents are notified in writing A(1)(d) Food for toddlers cut in pieces ½ inch or less. A(1)(k) Food for infants cut in pieces 1/4 inch or less. A(1)(i) Infants are placed on their backs to sleep, unless Doctor's note is provided. A(3)(a) C = Compliant with Regulation - N = Noncompliant with Regulation No violations noted at the time of visit 28/2 4 □ Refused to sign Signature of Director/Operator/Designee: Signature of Child Care Licensing Specialist: \_

Page	1	of	1	
------	---	----	---	--

## <u>Division of Early Care and Education Deficiency</u> <u>Correction</u>

## NAME OF PROVIDER/OPERATOR Georges Creek Baptist Church CDC

PERMIT #\_662

Deficiency Cited	Corrective Action Needed	Expected Date of Correction
New staff needs all required paperwork in file.	New staff will have all required paperwork in file.	2/28/24
All medications need to be stored in locked box.	All medications will be stored in locked box.	2/28/24
All classrooms need correct tracking in center.	All classrooms will have correct tracking in center.	2/28/24

Providers/Operators are required by regulations and statutes to be in compliance at all time.

Licensing Specialist_	Leslie Craia	Date 2128124
	\ \	