## South Carolina Department of Social Services Office of Child Care Licensing

INSPECTION VISIT FORM FOR LICENSED CENTERS

Facility Name: First Baptist Child Development Center

Signature of Director/Operator/Designee:

Signature of Child Care Licensing Specialist: ~

17 Time of Inspection: 9:50 An

 $\square$  Refused to sign

Maximum number of infants: 24	Yes CDE No C	P N/A	/
Maximum number of children: 420  Maximum number of infants: 24  Maximum number of infants: 24  Maximum number of infants: 24  Menu Ratio Chart (All classrooms)  MANAGEMENT, ADMINISTRATION & STAFFING 114-503  SUPERVISION 114-504  Staff files are in compliance H(1-7)  Training hours up-to-date K(5)(b-c)  At least 1 person with CPR & 1st Aid on the premises K(5)(h)  Medicine and harmful items labeled and stored properly D(2)  First Aid kit in facility and in vehicle if transport E(1), I(1)(g)  Physical SiTE 114-507  Wentilation and lighting & sufficient A(2)(a-d), (4)(a-c)  No strangulation/choking/suffocation hazards A(5)(g)(i-iii)  Carbage kept properly in plastic lined receptacles A(8) (d-i)  Play Pens observed C(4)  Ratios are in designated rooms? Proper of a facility Infants are infants are infants are infants are infants are infants are infants. Proper of a facility Infants are infants are infant	No co	N/A	0 0 N/A
Maximum number of infants: 24	No co	N/A	O O O
MANAGEMENT. ADMINISTRATION & STAFFING 114-503  Supervision 114-504  Staff files are in compliance H(1-7)  Training hours up-to-date K(5)(b-c)  At least 1 person with CPR & 1 <sup>st</sup> Aid on the premises K(5)(h)  At least 1 person with CPR & 1 <sup>st</sup> Aid on the premises K(5)(h)  C N N/A  Children's faces/hands are clean B(1)  Medicine and harmful items labeled and stored properly D(2)  First Aid kit in facility and in vehicle if transport E(1), I(1)(g)  Wentilation and lighting & sufficient A(2)(a-d), (4)(a-c)  Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)  No strangulation/choking/suffocation hazards A(5)(g)(i-iii)  Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.  Garbage kept properly in plastic lined receptacles A(8) (d-i)  Play Pens observed C(4)  Supervision transport children? Described Adequate cushioning material; at least 6ft fall zone B(9)  Play Pens observed C(4)	C C C C C C C C C C C C C C C C C C C	N O	O O O
MANAGEMENT, ADMINISTRATION & STAFFING 114-503  Staff files are in compliance H(1-7)  Training hours up-to-date K(5)(b-c)  At least 1 person with CPR & 1st Aid on the premises K(5)(h)  C N N/A  HEALTH, SANITATION & SAFETY 114-505  C N N/A  Children's faces/hands are clean B(1)  Medicine and harmful items labeled and stored properly D(2)  First Aid kit in facility and in vehicle if transport E(1), I(1)(g)  PHYSICAL SITE 114-507  Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)  No strangulation/choking/suffocation hazards A(5)(g)(i-iii)  Ceiling, floors, windows, doors free from hazards A(5)(d)  Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.  Garbage kept properly in plastic lined receptacles A(8) (d-i)  Play Pens observed C(4)  SUPERVISION 114-504  Adequate supervision throughout facility A(1-2)  Facility following tracking of children procedures A(3)  Radios adequate in all classrooms and on playground B,  Physical SITE 114-505  Playground equip. safe & firmly anchored B(7)  Adequate cushioning material; at least 6ft fall zone B(9)  Ceiling, floors, windows, doors free from hazards A(5)(d)  Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.  Garbage kept properly in plastic lined receptacles A(8) (d-i)  Play Pens observed C(4)		0 0 N	O O O
Staff files are in compliance H(1-7)  Training hours up-to-date K(5)(b-c)  At least 1 person with CPR & 1 <sup>St</sup> Aid on the premises K(5)(h)  At least 1 person with CPR & 1 <sup>St</sup> Aid on the premises K(5)(h)  Children's faces/hands are clean B(1)  Medicine and harmful items labeled and stored properly D(2)  First Aid kit in facility and in vehicle if transport E(1), I(1)(g)  PHYSICAL SITE 114-507  Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)  No strangulation/choking/suffocation hazards A(5)(g)(i-iii)  Ceiling, floors, windows, doors free from hazards A(5)(d)  Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.  Garbage kept properly in plastic lined receptacles A(8) (d-i)  Play Pens observed C(4)  Play Pens observed C(4)	CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	0 0 N	O O O
Staff files are in compliance H(1-7)  Training hours up-to-date K(5)(b-c)  At least 1 person with CPR & 1 <sup>St</sup> Aid on the premises K(5)(h)  At least 1 person with CPR & 1 <sup>St</sup> Aid on the premises K(5)(h)  Children's faces/hands are clean B(1)  Medicine and harmful items labeled and stored properly D(2)  First Aid kit in facility and in vehicle if transport E(1), I(1)(g)  PHYSICAL SITE 114-507  Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)  No strangulation/choking/suffocation hazards A(5)(g)(i-iii)  Ceiling, floors, windows, doors free from hazards A(5)(d)  Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.  Garbage kept properly in plastic lined receptacles A(8) (d-i)  Play Pens observed C(4)  Play Pens observed C(4)	CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	0 0 N	O O O
Staff files are in compliance H(1-7)  Training hours up-to-date K(5)(b-c)  At least 1 person with CPR & 1st Aid on the premises K(5)(h)  At least 1 person with CPR & 1st Aid on the premises K(5)(h)  C N N/A  Children's faces/hands are clean B(1)  Medicine and harmful items labeled and stored property D(2)  First Aid kit in facility and in vehicle if transport E(1), I(1)(g)  Physical site 114-507  C N N/A  Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)  No strangulation/choking/suffocation hazards A(5)(g)(i-iii)  Ceiling, floors, windows, doors free from hazards A(5)(d)  Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.  Garbage kept properly in plastic lined receptacles A(8) (d-i)  Play Pens observed C(4)  Adequate supervision throughout facility A(1-2)  Facility following tracking of children procedures A(3)  Ratios adequate in all classrooms and on playground B,  Ratios adequate in all cla	CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	0 0 N	O O O
Training hours up-to-date K(5)(b-c)  At least 1 person with CPR & 1st Aid on the premises K(5)(h)  At least 1 person with CPR & 1st Aid on the premises K(5)(h)  BEALTH, SANITATION & SAFETY 114-505  C N N/A  Children's faces/hands are clean B(1)  Medicine and harmful items labeled and stored properly D(2)  First Aid kit in facility and in vehicle if transport E(1), I(1)(g)  PHYSICAL SITE 114-507  Wentilation and lighting & sufficient A(2)(a-d), (4)(a-c)  No strangulation/choking/suffocation hazards A(5)(g)(i-iii)  Ceiling, floors, windows, doors free from hazards A(5)(d)  Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.  Garbage kept properly in plastic lined receptacles A(8) (d-i)  Play Pens observed C(4)  Facility following tracking of children procedures A(3)  Ratios adequate in all classrooms and on playground B,  Rotal Play Facility follows and survey and survey and survey and survey and survey an	C	N 0	N/A
At least 1 person with CPR & 1st Aid on the premises K(5)(h)    C   N   N/A	C	N O	N/A
HEALTH, SANITATION & SAFETY 114-505  C N N/A  Children's faces/hands are clean B(1)  Medicine and harmful items labeled and stored properly D(2)  First Aid kit in facility and in vehicle if transport E(1), I(1)(g)  PHYSICAL SITE 114-507  PHYSICAL SITE 114-507  Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)  No strangulation/choking/suffocation hazards A(5)(g)(i-iii)  Ceiling, floors, windows, doors free from hazards A(5)(d)  Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.  Garbage kept properly in plastic lined receptacles A(8) (d-i)  Proper diaper changing practices were observed F(1-16)  Proper handwashing practices were observed G(4)  Proper handwashing practices were observed G(4)  Proper handwashing practices were observed G(4)  Proper diaper changing practices were observed G(4)  Proper diaper changing practices were observed F(1-16)  Proper diaper changing practices were observed G(4)  Proper diaper changing practices were observed G(4)	C	N	N/A
C N N/A  Children's faces/hands are clean B(1)  Medicine and harmful items labeled and stored property D(2)  First Aid kit in facility and in vehicle if transport E(1), I(1)(g)  Proper handwashing practices were observed G(4)  First Aid kit in facility and in vehicle if transport E(1), I(1)(g)  PHYSICAL SITE 114-507  C N N/A  PLAYGROUND  Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)  No strangulation/choking/suffocation hazards A(5)(g)(i-iii)  Ceiling, floors, windows, doors free from hazards A(5)(d)  Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.  Garbage kept properly in plastic lined receptacles A(8) (d-i)  Playground equip. safe & firmly anchored B(7)  Adequate cushioning material; at least 6ft fall zone B(9)  Culting, floors, windows, doors free from hazards A(5)(d)  Culting, floors, windows, doors free from hazards A(5)(d)	C	0	0
Children's faces/hands are clean B(1)  Medicine and harmful items labeled and stored properly D(2)  First Aid kit in facility and in vehicle if transport E(1), I(1)(g)  Proper handwashing practices were observed G(4)  First Aid kit in facility and in vehicle if transport E(1), I(1)(g)  PHYSICAL SITE 114-507  BUILDING  C N N/A  PLAYGROUND  Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)  No strangulation/choking/suffocation hazards A(5)(g)(i-iii)  Ceiling, floors, windows, doors free from hazards A(5)(d)  Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.  Garbage kept properly in plastic lined receptacles A(8) (d-i)  Proper diaper changing practices were observed F(1-16  Proper diaper changing practices were observed F(1-16  Proper diaper changing practices were observed G(4)	C	0	0
Medicine and harmful items labeled and stored properly D(2)  First Aid kit in facility and in vehicle if transport E(1), I(1)(g)  PHYSICAL SITE 114-507  BUILDING  C N N/A  PLAYGROUND  Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)  No strangulation/choking/suffocation hazards A(5)(g)(i-iii)  Ceiling, floors, windows, doors free from hazards A(5)(d)  Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.  Garbage kept properly in plastic lined receptacles A(8) (d-i)  Proper handwashing practices were observed G(4)  No smoking/consumption of alcoholic beverage A(3)  PLAYGROUND  Playground equip. safe & firmly anchored B(7)  Adequate cushioning material; at least 6ft fall zone B(9)  Fencing/safety barriers 4ft. in height, in good repair B(4)  Outdoor space free from hazards and litter B(2)  RESTING  Garbage kept properly in plastic lined receptacles A(8) (d-i)  Play Pens observed C(4)	C	0	
First Aid kit in facility and in vehicle if transport E(1), I(1)(g)  PHYSICAL SITE 114-507  BUILDING  C N N/A  PLAYGROUND  Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)  No strangulation/choking/suffocation hazards A(5)(g)(i-iii)  Ceiling, floors, windows, doors free from hazards A(5)(d)  Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.  Facility free from pest problems (Insects, rodents) A(8)(b-c)  Garbage kept properly in plastic lined receptacles A(8) (d-i)  PHYSICAL SITE 114-507  C N N/A  PLAYGROUND  Playground equip. safe & firmly anchored B(7)  Adequate cushioning material; at least 6ft fall zone B(9)  Fencing/safety barriers 4ft. in height, in good repair B(4)  Outdoor space free from hazards and litter B(2)  RESTING  Garbage kept properly in plastic lined receptacles A(8) (d-i)  Play Pens observed C(4)	C	+	
PHYSICAL SITE 114-507  BUILDING  C N N/A  PLAYGROUND  Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)  No strangulation/choking/suffocation hazards A(5)(g)(i-iii)  Ceiling, floors, windows, doors free from hazards A(5)(d)  Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.  Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.  Garbage kept properly in plastic lined receptacles A(8) (d-i)  Playground equip. safe & firmly anchored B(7)  Adequate cushioning material; at least 6ft fall zone B(9)  Fencing/safety barriers 4ft. in height, in good repair B(4)  Outdoor space free from hazards and litter B(2)  RESTING  Garbage kept properly in plastic lined receptacles A(8) (d-i)  Play Pens observed C(4)	C		-
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)   C   N   N/A   PLAYGROUND	0		
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)  No strangulation/choking/suffocation hazards A(5)(g)(i-iii)  Ceiling, floors, windows, doors free from hazards A(5)(d)  Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.  Facility free from pest problems (Insects, rodents) A(8)(b-c)  Garbage kept properly in plastic lined receptacles A(8) (d-i)  Playground equip. safe & firmly anchored B(7)  Adequate cushioning material; at least 6ft fall zone B(9)  Fencing/safety barriers 4ft. in height, in good repair B(4)  Outdoor space free from hazards and litter B(2)  RESTING  Play Pens observed C(4)	0	N	N/A
No strangulation/choking/suffocation hazards A(5)(g)(i-iii)  Ceiling, floors, windows, doors free from hazards A(5)(d)  Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.  Facility free from pest problems (Insects, rodents) A(8)(b-c)  Garbage kept properly in plastic lined receptacles A(8) (d-i)  Adequate cushioning material; at least 6ft fall zone B(9)  Fencing/safety barriers 4ft. in height, in good repair B(4)  Outdoor space free from hazards and litter B(2)  RESTING  Play Pens observed C(4)	+ -		0
Ceiling, floors, windows, doors free from hazards A(5)(d)  Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.  Facility free from pest problems (Insects, rodents) A(8)(b-c)  Garbage kept properly in plastic lined receptacles A(8) (d-i)  Ceiling, floors, windows, doors free from hazards A(5)(d)  Cutdoor space free from hazards and litter B(2)  RESTING  Play Pens observed C(4)			-
Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.  Facility free from pest problems (Insects, rodents) A(8)(b-c)  Garbage kept properly in plastic lined receptacles A(8) (d-i)  Dutdoor space free from hazards and litter B(2)  RESTING  Play Pens observed C(4)			
Facility free from pest problems (Insects, rodents) A(8)(b-c)  Garbage kept properly in plastic lined receptacles A(8) (d-i)  Play Pens observed C(4)	4		
Garbage kept properly in plastic lined receptacles A(8) (d-i)	C	N	N/A
	-		
	<u> </u>		
Electrical outlets are securely covered A(11)(c)  Cribs meet federal standards (reviewed certificate) D(1)	$\overline{}$	+	
Sink area has running water A(12)(d)  — — — Cots, mats, cribs labeled or charted for each child D(2)	<u> </u>	<u> </u>	D NI/A
Soap and disposable towels available at sink A(12)(i)	C.	N	N/A
Furniture, toys & equipment are clean and in good repair C(1)			
Furniture, toys & equipment meets the CPSC standards C(2) developmentally & age appropriate observed A(1-3)	6	<del>  _  </del>	
Healthy pets/animals (Vaccination record up-to-date) E(4)   □ □ □ □ Positive, non-abusive discipline practice B(1)	10		0
MEAL REQUIREMENTS 114-508	С	N	N/A
Meals & snacks in compliance with USDA A(1)(b)  C N N/A  Round, firm foods are not offered to children under 4		-0	INA
	3		0
		-	0
	-	┾╦.	-
Refrigerators have thermometers, temp under 45°F D(2-3)  INFANT CARE 114-509  Refrigerators have thermometers, temp under 45°F D(2-3)  INFANT CARE 114-509  TRANSPORTATION 114-505 I			
C N N/A	С	N	N/A
Infants are placed on their back to sleep A(5)(a) Uehicle has proper safety restraints & in good repair I(1)			6
No bottles propped or given in cribs or on mats A(3)(c)  Discrete and the control of the control	0		-
Food for toddlers cut in pieces ½ inch or less A(3)(k)  Driver's (valid) driver's license reviewed (1)(f)	0		9
Food for infants cut in pieces ½ inch or less A(3)(i)			
	2000	TOTAL S	
Crock pote, source warmers, are microcoopie to dimeron, in			
11		ALC: NAME OF	
Cups and bottles labeled with child's name & used only by that child A(3)(a)  No violations noted at the time of visit		V	1, 10