South Carolina Department of Social Services Office of Child Care Licensing

dealty Name. Inman Christian Academy				ED FAITH BASED CHILD CARE CENTERS Date of Inspection: 3 14 24 Time of Inspection: 10 □ Complaint □ Follow Up (original inspection date			١ ١
ddress: 90 Blackstock Road, INMAN, SC 29349				Reason for Follow up: □pending deficient Hours of Operation: Single Shift			
Change in Ownership or Director? □ Yes No If y Maximum number of children: 97 Building 1:	/es, N	∮ame l	: Buildin	g 2: Building 3:	_		i z∕No
MANAGEMENT 114-523				APPLICATION OF STAFF CHILD RATIOS 114-524			
01.00	С	N	N/A	14-524	С	N	N/A
Staff files are in compliance F(1-4)				Adequate supervision throughout the facility A(1) (a-b)	D/		
Are training hours up-to-date? F(3)(a-b)	10/	0		Facility following tracking of children procedures A(2)	10/		
At least 1 person with CPR & 1 St Aid on the premises H(5)(f)	<u> </u>			Ratios adequate in all classrooms and on playground B & C	- To		
HEAL				N & SAFETY 114-525			
Children's faces/hands are clean B(1)	C	_N	N/A		Ċ	N	N/A
	<u>19</u> /		믜	Proper diaper diapering practices were observed F(1-16)	0		
Medicine & harmful items labeled and stored properly D(2)			<u> </u>	Proper handwashing practices were observed G(4)		0	8
First Aid kit in facility and in vehicle if transport E(1), I(1)(g)	0			Smoking permitted only in designated area A(3)	0/		<u> </u>
PHY	SICA	L SIT	E 114-				
	С	N	N/A		С	AL	ALCA
BUILDING	OBC		9	PLAYGROUND		N	N/A
/entilation and lighting sufficient A(2)(a-d),(4)(a-c)	2	D	0	Outdoor space free of glass, paper & other litter B(2)			
Ceiling, floors, windows, doors free from hazards A(5)(d)	12			Fencing/safety barriers 4ft in height, in good repair B(4)	10/	ö	
lo strangulation/choking/suffocation hazards A(5)(g)(i-iii)	12	1		Playground equipment safe & firmly anchored C (6)	0/	0	
Building(s) temp between 68-80 °F A(7)	D	7 🗆		Adequate cushioning material; at least 6ft. fall zone C(8)	0		
acility free from pest problems (Insects, rodents)A(8)(b-c)	12			RESTING	Č	N	N/A
Sarbage kept properly in plastic lined receptacles A(8)(d-i)	₩			Cribs meet federal standards (reviewed certificate) D(1)	8		
lectrical outlets are securely covered A(11)(c)	ID/		0	Cots, beds, mats, & cribs labeled for each child D(2)			-
Sink area has hot & cold water A(12)(d)	B			Pack & plays not used for sleeping D(1-2)	0/		0
Soap and towels in restrooms A(12)(i)	0/			TRANSPORTATION 114-525	10/		0
urniture, toys & equipment are clean and in good repair C(1)	10/		0	Vehicle has proper safety restraints and in good repair I(1)	197		
umiture, toys & equipment meets CPSC standards C(2)	0			Checklist for loading/unloading children reviewed. I(2)(d)			
				114-528			
feals and snacks in compliance with USDA A(1)(b)	C	N	_N/A		С	N	N/A
clean, wholesome, unspoiled properly labeled food A(4)	12	0		Round, firm foods are not given to children under 4y/o,	ΙТ		
ood preparers have proper hair restraints B(5)	2			unless properly cut to prevent choking risk. A(3)	P		
defrigerators have thermometers(Temp under 45°F)D(2-3)				Food labeled, stored and handled properly D(1)	9 /	, 🗆	
	NIT C	D A D C	11 A F	Cleaning & poisonous items stored away from food D(8)	0/		
	IN I C	AKE	114-52	28			
Cups and bottles labeled with child's name & used only by that of	child /	A/4\/-				N	N/A
lo bottles propped or given in cribs or on mats A(1)(c)	/ IIIU /	<u> </u>	<u>"</u>		0/		
breast milk is not heated in the microwave. If microwave is used to heat formula/beverages, parents are notified in writing A(1)(d)							
ood for toddlers cut in pieces ½ inch or less. A(1)(k)							
ood for infants cut in pieces ¼ inch or less. A(1)(i)							
afants are placed on their backs to sleep, upless Doctor's note is provided. A/2Ve)						-	
The state of the s	2 h10	AIGC	. A(3)(č	2)	9	<u> </u>	
C = Compliant with Regulation - N = Noncompliant with F	Recur	ation	dy l	No violations noted at the time of visit ☑		The same of	
Signature of Director/Operator/Designee: Date: 3-14-22 Refused to sign							
Signature of Child Care Licensing Specialist Date: 314124							