## South Carolina Department of Social Services Office of Child Care Licensing INSPECTION VISIT FORM FOR LICENSED CENTERS

acility Name: Unique Kids

:hild A(3)(a)

Date of Inspection: 415124 Time of Inspection: 2:45 ermit #: 21639 Type of Inspection: 

Annual 

Complaint □ Follow Up (original inspection date Reason for Follow up: 

clear up pending deficiency 

Self-Report ddress: 956 Gap Creek Rd., GREER, SC 29651 Hours of Operation: Single Shift elephone #: 864-877-0080 Any changes in contact info (Phone/Email/Fax)? □ Yes ✓ No Overnight Care? - Yes . No enter Director/Designee: Betty Williams hange in Ownership or Director? 

Yes 

No If yes, Name: laximum number of children: 106 Building 1: Building 2: Building 3: □ CDEP laximum number of infants: 23 Infants are in designated rooms? Yes No NA ems posted in public view: License Menu Ratio Chart (All classrooms) Does facility transport children? Yes Does have transport children? MANAGEMENT, ADMINISTRATION & STAFFING 114-503 SUPERVISION 114-504 C N N/A С N N/A Staff files are in compliance H(1-7) ゼ Adequate supervision throughout facility A(1-2) র্ব Training hours up-to-date K(5)(b-c) Ø Facility following tracking of children procedures A(3) W At least 1 person with CPR & 1st Aid on the premises K(5)(h) N TO Ratios adequate in all classrooms and on playground B, C Ø HEALTH, SANITATION & SAFETY 114-505 С N N/A С N N/A Children's faces/hands are clean B(1) vd Proper diaper changing practices were observed F(1-16) Ø Medicine and harmful items labeled and stored properly D(2) Proper handwashing practices were observed G(4) Ø æ First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Ø No smoking/consumption of alcoholic beverage A(3) 6 PHYSICAL SITE 114-507 BUILDING Ç Ν N/A PLAYGROUND C N N/A Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) Q Playground equip. safe & firmly anchored B(7) 9 No strangulation/choking/suffocation hazards A(5)(g)(i-iii) П Adequate cushioning material; at least 6ft fall zone B(9) 6 Ceiling, floors, windows, doors free from hazards A(5)(d) Œ Fencing/safety barriers 4ft. in height, in good repair B(4) (p<sup>r</sup> Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. ď Outdoor space free from hazards and litter B(2) 6 Facility free from pest problems (Insects, rodents) A(8)(b-c) Ø RESTING С N N/A Garbage kept properly in plastic lined receptacles A(8) (d-i) d Play Pens observed C(4) o V Electrical outlets are securely covered A(11)(c) ď Cribs meet federal standards (reviewed certificate) D(1) 0 Œ Sink area has running water A(12)(d) ъб. Cots, mats, cribs labeled or charted for each child D(2) Va/ Soap and disposable towels available at sink A(12)(i) ď PROGRAM 114-506 C N N/A Furniture, toys & equipment are clean and in good repair C(1) ď Written, planned, daily program of activities that is Furniture, toys & equipment meets the CPSC standards C(2) ਹ developmentally & age appropriate observed A(1-3) 0 Healthy pets/animals (Vaccination record up-to-date) E(4) 0 Positive, non-abusive discipline practice B(1) V MEAL REQUIREMENTS 114-508 C N N/A C N N/A Meals & snacks in compliance with USDA A(1)(b) Round, firm foods are not offered to children under 4 7 Clean, wholesome, unspoiled, properly labeled food A(4) ON V yrs. Old, unless properly cut to prevent choking risk A(3) (p/ ood preparers have proper hair restraints B(5) νď Food stored & handled properly D(1) (D/ Refrigerators have thermometers, temp under 45°F D(2-3) W All cleaning & poisonous items stored away from food D V INFANT CARE 114-509 TRANSPORTATION 114-505 I С N N/A С N N/A nfants are placed on their back to sleep A(5)(a) ď Vehicle has proper safety restraints & in good repair I(1) 19/ No bottles propped or given in cribs or on mats A(3)(c) Checklist for loading/unloading children reviewed (2)(d) Ø ood for toddlers cut in pieces ½ inch or less A(3)(k) 0 Driver's (valid) driver's license reviewed (1)(f) ď 6 Food for infants cut in pieces 1/4 inch or less A(3)(j) M Crock pots, bottle warmers, are inaccessible to children, No **C-Compliant with Regulation** w/ nicrowaving of beverages observed A(3)(d) N-Noncompliant with Regulation Cups and bottles labeled with child's name & used only by that √6 

Signature of Child Care Licensing Specialist:  Option  Date: 4/5/24  Date: 4/5/24
---

No violations noted at the time of visit □

	1		1	
Page		of	1	

## <u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

NAME OF PROVIDER/OPERATOR Unique Kids	
PERMIT #21639	

Deficiency Cited	Corrective Action Needed	Expected Date of Correction	
Teacher needs TB test results on file at the center.	Director will get TB test results on file at the center.	4/19/24	

Providers/Operators are required by regulations and statutes to be in compliance at all time.

Licensing Specialist	Opila	Date	4/5/24