South Carolina Department of Social Services

Office of Child Care Licensing INSPECTION VISIT FORM FOR REGISTERED FAITH BASED CHILD CARE CENTERS Date of Inspection: 4123124 Time of Inspection: 10:30am cility Name: St Paul's School Type of Inspection: Annual
Complaint Follow Up (original inspection date rmit #: 25552 Reason for Follow up: □pending deficiencies □self-report Idress: 304 E. Camperdown Way, GREENVILLE, SC 29601 Hours of Operation: Single shift :lephone #: 864-232-0994 Overnight Care?

Yes

No enter Director/Designee: Marian Grace Trail nange in Ownership or Director?

Yes If yes, Name: aximum number of children: 131 Building 1: Building 2: Building 3: aximum number of infants: 73 □ 24 months 10/30 months □ 1-4 facility Infants are in designated rooms? 12/Yes □ No □ N/A ms posted in public view. Registration Menu Ratio Chart (All classroom) Does facility transport children? Yes No MANAGEMENT 114-523 APPLICATION OF STAFF: CHILD RATIOS 114-524 N/A C N C N N/A Staff files are in compliance F(1-4) Adequate supervision throughout the facility A(1) (a-b) Facility following tracking of children procedures A(2) Are training hours up-to-date? F(3)(a-b) At least 1 person with CPR & 1St Aid on the premises H(5)(f) Ratios adequate in all classrooms and on playground B & C HEALTH, SANITATION & SAFETY 114-525 C N N/A C N/A N Children's faces/hands are clean B(1) W Proper diaper diapering practices were observed F(1-16) ଏ Medicine & harmful items labeled and stored properly D(2) Proper handwashing practices were observed G(4) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) 0 Smoking permitted only in designated area A(3) PHYSICAL SITE 114-527 C N N/A C N/A N BUILDING PLAYGROUND Ventilation and lighting sufficient A(2)(a-d),(4)(a-c) Outdoor space free of glass, paper & other litter B(2) **V** Ò Fencing/safety barriers 4ft in height, in good repair B(4) Ceiling, floors, windows, doors free from hazards A(5)(d) ď ~ No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Playground equipment safe & firmly anchored C (6) R 4 Adequate cushioning material; at least 6ft. fall zone C(8) ď Building(s) temp between 68-80 °F A(7) Q RESTING Facility free from pest problems (Insects, rodents)A(8)(b-c) С N N/A Garbage kept properly in plastic lined receptacles A(8)(d-i) Cribs meet federal standards (reviewed certificate) D(1) V Ø Cots, beds, mats, & cribs labeled for each child D(2) Electrical outlets are securely covered A(11)(c) V Sink area has hot & cold water A(12)(d) Y Pack & plays not used for sleeping D(1-2) ¥ Soap and towels in restrooms A(12)(i) **TRANSPORTATION 114-525 I** ਦ Furniture, toys & equipment are clean and in good repair C(1) ď o Vehicle has proper safety restraints and in good repair I(1) ď а Furniture, toys & equipment meets CPSC standards C(2) Checklist for loading/unloading children reviewed. !(2)(d) **MEAL REQUIREMENTS 114-528** CINI N/A C N N/A Round, firm foods are not given to children under 4y/o. Meals and snacks in compliance with USDA A(1)(b) ď Clean, wholesome, unspoiled properly labeled food A(4) ₹ a unless properly cut to prevent choking risk. A(3) Food preparers have proper hair restraints B(5) ਦ Food labeled, stored and handled properly D(1) ď Ω Refrigerators have thermometers(Temp under 45°F)D(2-3) Cleaning & poisonous items stored away from food D(8) ਈ ¥ INFANT CARE 114-529 C N N/A Cups and bottles labeled with child's name & used only by that child A(1)(a) Ø No bottles propped or given in cribs or on mats A(1)(c) Ø Breast milk is not heated in the microwave. If microwave is used to heat formula/beverages, parents are notified in writing A(1)(d) 6 Food for toddlers cut in pieces ½ inch or less. A(1)(k) Ö Food for infants cut in pieces 1/4 inch or less. A(1)(j) vd Infants are placed on their backs to sleep, unless Doctor's note is provided. A(3)(a) **ve** | 0 No violations noted at the time of visit C = Compliant with Regulation - N = Noncompliant with Regulation Signature of Director/Operator/Designee: □ Refused to sign

Date:

Signature of Child Care Licensing Specialist: