## South Carolina Department of Social Services Office of Child Care Licensing INSPECTION VISIT FORM FOR LICENSED CENTERS

ddress: 630 Farrs Bridge Road, GREENVILLE, SC 29611  elephone #: 864-246-3111  Any changes in contact info (Phone/Email/Fax)? □ Yes □ No Overnight Care? □ No Overnight Care? □ Yes □ No Overnight Care? □ No Overnight Care? □ Yes □ No Overnight Care? □ No No Smoking/consumption of alcoholic beverage A(3)  Building 1:  Building 2:  Building 3:  Building 4:	Yes	S G	No
ddress: 630 Farrs Bridge Road, GREENVILLE, SC 29611 elephone #: 864-246-3111 enter Director/Designee: Amanda Whitman hange in Ownership or Director?	Cy D	S G	No
ddress: 630 Farrs Bridge Road, GREENVILLE, SC 29611 elephone #: 864-246-3111 enter Director/Designee: Amanda Whitman hange in Ownership or Director?	CE No	S G	No
enter Director/Designee: Amanda Whitman hange in Ownership or Director?	CE No	S G	No
enter Director/Designee: Amanda Whitman hange in Ownership or Director?	CE No	S G	No
hange in Ownership or Director?	CE No	DEP DEN	
laximum number of children: 100  Building 1: Building 2: Building 3: Building	CE No	DEP DEN	
laximum number of infants: 25		) o N	V <b>A</b>
ems posted in public view:  Access		) o N	VA
MANAGEMENT, ADMINISTRATION & STAFFING 114-503  Staff files are in compliance H(1-7)  Training hours up-to-date K(5)(b-c)  At least 1 person with CPR & 1st Aid on the premises K(5)(h)  HEALTH SANITATION & SAFETY 114-505  C N N/A  C N N/A  SUPERVISION 114-504  SUPERVISION 114-504  SUPERVISION 114-504  Adequate supervision throughout facility A(1-2)  Facility following tracking of children procedures A(3)  Ratios adequate in all classrooms and on playground B, C  C N N/A  C N N/A  C N N/A  HEALTH SANITATION & SAFETY 114-505  C N N/A  Medicine and harmful items labeled and stored properly D(2)  First Aid kit in facility and in vehicle if transport E(1), I(1)(g)  PHYSICAL SITE 114-507  Ventilation and lighting & sufficient A(2)(a th (4)(a))		) o N	l/A
Staff files are in compliance H(1-7)  Training hours up-to-date K(5)(b-c)  At least 1 person with CPR & 1sr Aid on the premises K(5)(h)  HEALTH, SANITATION & SAFETY 114-505  C N N/A  C N N/A  HEALTH, SANITATION & SAFETY 114-505  C N N/A  C N N N N			V C
Staff files are in compliance H(1-7)  Training hours up-to-date K(5)(b-c)  At least 1 person with CPR & 1sr Aid on the premises K(5)(h)  HEALTH, SANITATION & SAFETY 114-505  C N N/A  C N N/A  HEALTH, SANITATION & SAFETY 114-505  C N N/A  C N N N N		CI	
Training hours up-to-date K(5)(b-c)  At least 1 person with CPR & 1sr Aid on the premises K(5)(h)  HEALTH, SANITATION & SAFETY 114-505  C N N/A  Children's faces/hands are clean B(1)  Medicine and harmful items labeled and stored properly D(2)  First Aid kit in facility and in vehicle if transport E(1), I(1)(g)  PHYSICAL SITE 114-507  Adequate supervision throughout facility A(1-2)  Adequate supervision throughout facility A(1-2)  Facility following tracking of children procedures A(3)  Ratios adequate in all classrooms and on playground B, C  N N/A  Proper diaper changing practices were observed F(1-16)  Proper handwashing practices were observed G(4)  No smoking/consumption of alcoholic beverage A(3)  PHYSICAL SITE 114-507  Ventilation and lighting & sufficient A(2)(a st) (4)(b)		CI	
At least 1 person with CPR & 1st Aid on the premises K(5)(h)  At least 1 person with CPR & 1st Aid on the premises K(5)(h)  HEALTH, SANITATION & SAFETY 114-505  C N N/A  Children's faces/hands are clean B(1)  Medicine and harmful items labeled and stored properly D(2)  First Aid kit in facility and in vehicle if transport E(1), I(1)(g)  PHYSICAL SITE 114-507  Ventilation and lighting & sufficient A(2)(a st) (AVIII) at A(2)(a st) (AVIIII)  Adequate supervision throughout facility A(1-2)  Adequate supervision throughout facility A(1-2)  Facility following tracking of children procedures A(3)  Ratios adequate in all classrooms and on playground B, C  N N/A  Proper diaper changing practices were observed F(1-16)  Proper handwashing practices were observed G(4)  No smoking/consumption of alcoholic beverage A(3)  PHYSICAL SITE 114-507  Ventilation and lighting & sufficient A(2)(a st) (AVIIII)		CI	TO SHEET
At least 1 person with CPR & 1 <sup>St</sup> Aid on the premises K(5)(h)  HEALTH, SANITATION & SAFETY 114-505  Children's faces/hands are clean B(1)  Medicine and harmful items labeled and stored properly D(2)  First Aid kit in facility and in vehicle if transport E(1), I(1)(g)  Physical Site 114-507  Ventilation and lighting & sufficient A(2)(a st) (AVI a)  Proper diaper changing practices were observed F(1-16)  Proper handwashing practices were observed G(4)  No smoking/consumption of alcoholic beverage A(3)  PLAYGROUND	(		N N/A
HEALTH, SANITATION & SAFETY 114-505  C N N/A  Children's faces/hands are clean B(1)  Medicine and harmful items labeled and stored properly D(2)  First Aid kit in facility and in vehicle if transport E(1), I(1)(g)  Proper diaper changing practices were observed F(1-16)  Proper handwashing practices were observed G(4)  No smoking/consumption of alcoholic beverage A(3)  BUILDING  C N N/A  PHAYGROUND  Ventilation and lighting & sufficient A(2)(a st) (AVI)			
Children's faces/hands are clean B(1)  Medicine and harmful items labeled and stored properly D(2)  First Aid kit in facility and in vehicle if transport E(1), I(1)(g)  Proper diaper changing practices were observed F(1-16)  Proper handwashing practices were observed G(4)  No smoking/consumption of alcoholic beverage A(3)  BUILDING  PHYSICAL SITE 114-507  Ventilation and lighting & sufficient A(2)(a, d), (AV.)		7 0	0 0
Children's faces/hands are clean B(1)  Medicine and harmful items labeled and stored properly D(2)  First Aid kit in facility and in vehicle if transport E(1), I(1)(g)  Proper diaper changing practices were observed F(1-16)  Proper handwashing practices were observed G(4)  No smoking/consumption of alcoholic beverage A(3)  BUILDING  C N N/A  PHAYGROUND	C	Q/ C	
First Aid kit in facility and in vehicle if transport E(1), I(1)(g)  Proper diaper changing practices were observed F(1-16)  Proper handwashing practices were observed G(4)  No smoking/consumption of alcoholic beverage A(3)  BUILDING  PHYSICAL SITE 114-507  Ventilation and lighting & sufficient A(2)(a-st) (4)(a-st)	C		
BUILDING  Ventilation and lighting & sufficient A(2)(a, d), I(1)(g)  PHYSICAL SITE 114-507  Ventilation and lighting & sufficient A(2)(a, d), I(1)(g)  PHYSICAL SITE 114-507  Ventilation and lighting & sufficient A(2)(a, d), I(1)(g)  PHYSICAL SITE 114-507		: N	I N/A
BUILDING  Ventilation and lighting & sufficient A(2)(a, d), I(1)(g)  PHYSICAL SITE 114-507  Ventilation and lighting & sufficient A(2)(a, d), I(1)(g)  PHYSICAL SITE 114-507  Ventilation and lighting & sufficient A(2)(a, d), I(1)(g)  PHYSICAL SITE 114-507	0	70	
BUILDING PHYSICAL SITE 114-507 Ventilation and lighting & sufficient A(2)(a, d), (AV) PLAYGROUND	2	-	
Ventilation and lighting & sufficient A/2Ve dt (AV)  C N N/A  PLAYGROUND	0		
PLATERDING		3000	
	С	N	N/A
No still angulation/choking/sufficiation baseds Assume the still angular angul	0		
Total Chicago Control of the state of the st	ď		0
oblighting to the state of the	1	-	-
domin nee hold pest problems (Insects redente) A rough	0/		0
RESTING	С	N	N/A
LICCUICAL DUTIELS SEE SECURE LA COMPANY A MANAGE LA COMPANY A MANA			0/
Sink area has running water A(12)(d)	10	0	0
Sold and disposable lowers available at sink Akayst	4	0	0
PROGRAM 114-506	C	N	N/A
Total color of the			
reduit) polyddiirildis i vaccination record up to data. Eth	0	0	0
- Found, not adult the practice D/4)	0	0	0
	200		1 mg
Micros di Stracks in compilance with USDA AMMA	C	N	N/A
Sivery difficulting interesting proposity labeled to a last to the same of the	0	□	
one bighaigs lidde blobel usit testraints Bigs	0/		٥
INFANT CARE AND All Cleaning & poisonous items stored and the		0	0
TRANSPORTATION 114 FOR 1		D	
Infants are placed on their back to sleep A/SVA	THE REAL PROPERTY.		E SEC
No bottles propped or given in cribs or on mats A(3)(c)  Vehicle has proper safety restraints & in good repair I(1)	_	N	N/A
- 00d for loddlers cut in signed 1/ in the signed to the s			10/
1000 for intents cut in pieces 1/ in the continued (4)/0	_	□	0/
Crock pots bottle warmage and inch or less A(3)(j)			0/
Crock pots, bottle warmers, are inaccessible to children, No nicrowaving of beverages observed A(3)(d).  C-Compliant with Regulation			200
nicrowaving of beverages observed A(3)(d)  Cups and bottles labeled with child's name & used only by that			
hild A(3)(a)			
No violations noted at the time of visit			
The state of Hore			
Signature of Director/Operator/Designee:			

Signature of Child Care Licensing Specialist:

Date: 4/11/24 ☐ Refused to sign