South Carolina Department of Social Services Office of Child Care Licensing INSPECTION VISIT FORM FOR LICENSED CENTERS Facility Name: Stepping Stones Child Care Date of Inspection: 3/18/24 11: 20 Am Permit #: 24987 Time of Inspection: Type of Inspection: g Annual □ Complaint □ Follow Up (original inspection date_ Reason for Follow up:

clear up pending deficiency

Self-Report Address: 1609 Whitehall Road, ANDERSON, SC 29625 Hours of Operation: Single Shift Telephone #: 864-332-4881 Any changes in contact info (Phone/Email/Fax)? □ Yes ☐ Ho Center Director/Designee: Michelle Thompson Overnight Care? - Yes Ato Change in Ownership or Director?

Yes Mo If yes, Name: Maximum number of children: 52 Building 1: ____ Building 2: Maximum number of infants: 25 Building 3: o CDEP □ 24 months □ 30 months □ I-4 facility Infants are in designated rooms? ⊕ Yes □ No □ N/A Items posted in public view: □-Idense □-Menu □-Ratio Chart (All classrooms) Does facility transport children? □-Yes □ No □ N/A MANAGEMENT, ADMINISTRATION & STAFFING 114-503 SUPERVISION 114-504 CI N N/A Staff files are in compliance H(1-7) C N N/A 0 \Box Adequate supervision throughout facility A(1-2) Training hours up-to-date K(5)(b-c) 4 سانة Facility following tracking of children procedures A(3) At least 1 person with CPR & 1st Aid on the premises K(5)(h) ø Ratios adequate in all classrooms and on playground B, C O 5 HEALTH, SANITATION & SAFETY 114-505 C Ν N/A Children's faces/hands are clean B(1) С N N/A <u>.</u> Proper diaper changing practices were observed F(1-16) Medicine and harmful items labeled and stored properly D(2) 6 Proper handwashing practices were observed G(4) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) 0 No smoking/consumption of alcoholic beverage A(3) PHYSICAL SITE 114-507 BUILDING С Ν N/A PLAYGROUND Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) C N N/A Playground equip. safe & firmly anchored B(7) 4 o No strangulation/choking/suffocation hazards A(5)(g)(i-iii) 4 Adequate cushioning material; at least 6ft fall zone B(9) Ceiling, floors, windows, doors free from hazards A(5)(d) Fencing/safety barriers 4ft. in height, in good repair B(4) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. ď Outdoor space free from hazards and litter B(2) Facility free from pest problems (Insects, rodents) A(8)(b-c) ή ď RESTING Garbage kept properly in plastic lined receptacles A(8) (d-i) C Ν N/A ď Play Pens observed C(4) Electrical outlets are securely covered A(11)(c) مسو Cribs meet federal standards (reviewed certificate) D(1) 口 Sink area has running water A(12)(d) Cots, mats, cribs labeled or charted for each child D(2) Ò Soap and disposable towels available at sink A(12)(i) <u>-</u> 9 o **PROGRAM 114-506** Furniture, toys & equipment are clean and in good repair C(1) C N N/A Written, planned, daily program of activities that is 6 Furniture, toys & equipment meets the CPSC standards C(2) developmentally & age appropriate observed A(1-3) Healthy pets/animals (Vaccination record up-to-date) E(4) Positive, non-abusive discipline practice B(1) 0/ MEAL REQUIREMENTS 114-508 C Ν N/A C N Meals & snacks in compliance with USDA A(1)(b) N/A 8 Round, firm foods are not offered to children under 4 Clean, wholesome, unspoiled, properly labeled food A(4) yrs. Old, unless properly cut to prevent choking risk A(3) О Food preparers have proper hair restraints B(5) 9-9 Food stored & handled properly D(1) Refrigerators have thermometers, temp under 45°F D(2-3) 9 All cleaning & poisonous items stored away from food D 9 INFANT CARE 114-509 9 TRANSPORTATION 114-505 I С N N/A Infants are placed on their back to sleep A(5)(a) С N N/A d. Vehicle has proper safety restraints & in good repair I(1) No bottles propped or given in cribs or on mats A(3)(c) e Checklist for loading/unloading children reviewed (2)(d) Food for toddlers cut in pieces ½ inch or less A(3)(k) Driver's (valid) driver's license reviewed (1)(f) 0 Food for infants cut in pieces 1/4 inch or less A(3)(j) Crock pots, bottle warmers, are inaccessible to children, No C-Compliant with Regulation microwaving of beverages observed A/3)(d) o N-Noncompliant with Population

Cups and bottles labeled with child's name & used only by that	_	_	 N-Noncompliant with Regulation
child A(3)(a)	-6-	0	 No violations noted at the time of visit
Signature of Director/Operator/Designee:	1	2	 Date: 3-18-24 □ Refused to sign