South Carolina Department of Social Services Office of Child Care Licensing INSPECTION VISIT FORM FOR REGISTERED FAITH BASED CHILD CARE CENTERS Facility Name: First Presbyterian Preschool Date of Inspection: 4124/24 Time of Inspection: 11.150m Permit #: 23405 Type of Inspection: Annual
Complaint Follow Up (original inspection date Reason for Follow up: pending deficiencies pself-report Address: 213 West Home Avenue, HARTSVILLE, SC 29550 Hours of Operation: Monday-Friday 7:30am-5:30pm Any changes in contact info (Phone/Email/Fax)?

Yes

No Telephone #: 843-332-8601 Overnight Care?

Yes Center Director/Designee: Erin J. Gainey Change in Ownership or Director?

Yes W No If yes, Name: Maximum number of children: 196 Building 2: Building 3: Building 1: Maximum number of infants: 69 □ 24 months □ 30 months □ 1-4 facility Infants are in designated rooms 10 Yes □ No □ N/A Items posted in public view: Registration Des Menu Ratio Chart (All classroom) Does facility transport children? Yes No MANAGEMENT 114-523 APPLICATION OF STAFF: CHILD RATIOS 114-524 C N N/A C/ N N/A Staff files are in compliance F(1-4) Adequate supervision throughout the facility A(1) (a-b) 1 0 Are training hours up-to-date? F(3)(a-b) Facility following tracking of children procedures A(2) At least 1 person with CPR & 1st Aid on the premises H(5)(f) Ratios adequate in all classrooms and on playground B & C 0 0 HEALTH, SANITATION & SAFETY 114-525 C N NA CN N/A Children's faces/hands are clean B(1) 0 0 Proper diaper diapering practices were observed F(1-16) 0 IZ Medicine & harmful items labeled and stored properly D(2) 0 0 Id. Proper handwashing practices were observed G(4) D First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Smoking permitted only in designated area A(3) 0 6/ PHYSICAL SITE 114-527 C N N/A CN N/A BUILDING PLAYGROUND 0 Ventilation and lighting sufficient A(2)(a-d),(4)(a-c) Outdoor space free of glass, paper & other litter B(2) ver) o US Ceiling, floors, windows, doors free from hazards A(5)(d) Fencing/safety barriers 4ft in height, in good repair B(4) 10 16 No strangulation/choking/suffocation hazards A(5)(g)(i-iii) W Playground equipment safe & firmly anchored C (6) 0 Building(s) temp between 68-80 °F A(7) Adequate cushioning material; at least 6ft. fall zone C(8) 0 Facility free from pest problems (Insects, rodents)A(8)(b-c) RESTING C N N/A Garbage kept properly in plastic lined receptacles A(8)(d-i) 6 Cribs meet federal standards (reviewed certificate) D(1) 0 6 Electrical outlets are securely covered A(11)(c) Cots, beds, mats, & cribs labeled for each child D(2) D a Sink area has hot & cold water A(12)(d) Pack & plays not used for sleeping D(1-2) V 0 **TRANSPORTATION 114-525** Soap and towels in restrooms A(12)(i) 0 0 0 Furniture, toys & equipment are clean and in good repair C(1) Vehicle has proper safety restraints and in good repair I(1) 0 0 0 Furniture, toys & equipment meets CPSC standards C(2) Checklist for loading/unloading children reviewed. I(2)(d) Ø MEAL REQUIREMENTS 114-528 CININA CIN N/A Meals and snacks in compliance with USDA A(1)(b) Round, firm foods are not given to children under 4y/o, V 0 Clean, wholesome, unspoiled properly labeled food A(4) unless properly cut to prevent choking risk. A(3) 10 0 Food preparers have proper hair restraints B(5) 0 0 Food labeled, stored and handled properly D(1) O Refrigerators have thermometers(Temp under 45°F)D(2-3) M Cleaning & poisonous items stored away from food D(8) INFANT CARE 114-529 CN N/A Cups and bottles labeled with child's name & used only by that child A(1)(a) × v2/ 0 No bottles propped or given in cribs or on mats A(1)(c) Breast milk is not heated in the microwave. If microwave is used to heat formula/beverages, parents are notified in writing A(1)(d) Food for toddlers cut in pieces 1/2 inch or less. A(1)(k) 0

M Food for infants cut in pieces ¼ inch or less. A(1)(j) Infants are placed on their backs to sleep, unless Doctor's note is provided. A(3)(a) C = Compliant with Regulation - N = Noncompliant with Regulation No violations noted at the time of visit ☐ Refused to sign