

South Carolina Department of Social Services
Office of Child Care Licensing

INSPECTION VISIT FORM FOR REGISTERED FAITH BASED CHILD CARE CENTERS

Facility Name: Orangeburg Christian Academy, Inc
Permit #: 23267

Date of Inspection: 3/18/24 Time of Inspection: 12:10 PM

Type of Inspection: Annual Complaint Follow Up (original inspection date _____)
Reason for Follow up: pending deficiencies self-report

Address: 1842 Joe Jeffords Hwy., Orangeburg, SC 29115
Telephone #: 803-536-0121

Hours of Operation: Single Shift
Any changes in contact info (Phone/Email/Fax)? Yes No
Overnight Care? Yes No

Center Director/Designee: Brenda Danielle Newhall

Change in Ownership or Director? Yes No If yes, Name: _____

Maximum number of children: 20 Building 1: Building 2: _____ Building 3: _____

Maximum number of infants: 0 24 months 30 months I-4 facility Infants are in designated rooms? Yes No N/A

Menus posted in public view: Registration Menu Ratio Chart (All classroom) Does facility transport children? Yes No

MANAGEMENT 114-523

APPLICATION OF STAFF:CHILD RATIOS 114-524

	C	N	N/A		C	N	N/A
Staff files are in compliance F(1-4)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Adequate supervision throughout the facility A(1) (a-b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Are training hours up-to-date? F(3)(a-b)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Facility following tracking of children procedures A(2)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
At least 1 person with CPR & 1 st Aid on the premises H(5)(f)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Ratios adequate in all classrooms and on playground B & C	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

HEALTH, SANITATION & SAFETY 114-525

	C	N	N/A		C	N	N/A
Children's faces/hands are clean B(1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proper diapering practices were observed F(1-16)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Medicine & harmful items labeled and stored properly D(2)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proper handwashing practices were observed G(4)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
First Aid kit in facility and in vehicle if transport E(1), I(1)(g)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Smoking permitted only in designated area A(3)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

PHYSICAL SITE 114-527

	C	N	N/A		C	N	N/A
BUILDING				PLAYGROUND			
Ventilation and lighting sufficient A(2)(a-d), (4)(a-c)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Outdoor space free of glass, paper & other litter B(2)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ceiling, floors, windows, doors free from hazards A(5)(d)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Fencing/safety barriers 4ft in height, in good repair B(4)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
No strangulation/choking/suffocation hazards A(5)(g)(i-iii)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Playground equipment safe & firmly anchored C(6)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Building(s) temp between 68-80 °F A(7)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Adequate cushioning material; at least 6ft. fall zone C(8)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Facility free from pest problems (Insects, rodents) A(8)(b-c)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	RESTING			
Garbage kept properly in plastic lined receptacles A(8)(d-i)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Cribs meet federal standards (reviewed certificate) D(1)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Electrical outlets are securely covered A(11)(c)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Cots, beds, mats, & cribs labeled for each child D(2)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sink area has hot & cold water A(12)(d)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Pack & plays not used for sleeping D(1-2)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Soap and towels in restrooms A(12)(i)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	TRANSPORTATION 114-525 I			
Furniture, toys & equipment are clean and in good repair C(1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Vehicle has proper safety restraints and in good repair I(1)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Furniture, toys & equipment meets CPSC standards C(2)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Checklist for loading/unloading children reviewed. I(2)(d)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

MEAL REQUIREMENTS 114-528

	C	N	N/A		C	N	N/A
Meals and snacks in compliance with USDA A(1)(b)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Round, firm foods are not given to children under 4y/o, unless properly cut to prevent choking risk. A(3)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Clean, wholesome, unspoiled properly labeled food A(4)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Food labeled, stored and handled properly D(1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food preparers have proper hair restraints B(5)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Cleaning & poisonous items stored away from food D(8)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Refrigerators have thermometers (Temp under 45°F) D(2-3)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				

INFANT CARE 114-529

	C	N	N/A
Cups and bottles labeled with child's name & used only by that child A(1)(a)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
No bottles propped or given in cribs or on mats A(1)(c)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Breast milk is not heated in the microwave. If microwave is used to heat formula/beverages, parents are notified in writing A(1)(d)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Food for toddlers cut in pieces ½ inch or less. A(1)(k)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Food for infants cut in pieces ¼ inch or less. A(1)(j)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Infants are placed on their backs to sleep, unless Doctor's note is provided. A(3)(a)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

C = Compliant with Regulation - N = Noncompliant with Regulation

No violations noted at the time of visit

Signature of Director/Operator/Designee: 

Date: 3/18/2024 Refused to sign

Signature of Child Care Licensing Specialist: 

Date: 3/18/2024

Division of Early Care and Education

Deficiency Correction

NAME OF PROVIDER/OPERATOR Orangeburg Christian Academy

PERMIT # 23267

Deficiency Cited	Corrective Action Needed	Expected Date of Correction
Stained ceiling tile observed again indicating a recurring leak.	Floors, walls, ceilings, windows, doors and other surfaces shall be free from hazards	5/18/2024 (60 days from visit)
Staff file missing updated Staff Health Assessment.	Staff records shall include Health records	4/18/2024 (30 days from visit)

Providers/Operators are required by regulations and statutes to be in compliance at all time.

Licensing Specialist *Signature for C. Busby* **Date** 3/21/2024