South Carolina Department of Social Services Office of Child Care Licensing

INSPECTION VISIT FORM FOR LICENSED CENTERS

ddress: 2522 Nazarene Street, CHARLESTON, SC 29406 elephone #: 843-225-0444 Any changes in c	onto	at inf	o /Bho	Reason for Follow up: clear up pending deficiency Hours of Operation: Single Shift ne/Email/Fax)? Yes wow Overnight Care?			•
enter Director/Designee: Asuncion Deas	onta	CU IAI	ט (רווטו	ne/Email/Fax)? □ Yes •••No Overnight Care? □ Y	es	B ANO)
nange in Ownership or Director? Yes No If yes, Name:							
aximum number of children: 28 Building 1:	$ egthinspace{1mm}$		Buile	ding 2: Building 3: □	CDE	Р	
aximum number of infants: 17	30	mont	hs 🗆 I-	4 facility Infants are in designated rooms? Yes	No r		
ems posted in public view: License Menu Ratio Ch	nart (All cla	assroo	ms) Does facility transport children? Yes No N/	Α		
MANAGEMENT, ADMINISTRATION & STAFFING 114-503		A.I.	NI/A	SUPERVISION 114-504	Ę		No.
Staff files are in compliance H(1-7)	C	N	N/A	Adagusta supervision throughout facility A/4 2)	С	N	N/A
Training hours up-to-date K(5)(b-c)	-	2		Adequate supervision throughout facility A(1-2)	10	PS.	
At least 1 person with CPR & 1 St Aid on the premises K(5)(h)				Facility following tracking of children procedures A(3) Ratios adequate in all classrooms and on playground B, C	W	-	0
	_			& SAFETY 114-505		2	D
(IEAE)	С	N	N/A	G OAI ETT 1:4-303	С	N	N/A
Children's faces/hands are clean B(1)	J			Proper diaper changing practices were changed. E(4.46)		_	
Medicine and harmful items labeled and stored properly D(2)				Proper diaper changing practices were observed F(1-16) Proper handwashing practices were observed G(4)			-
					2		
First Aid kit in facility and in vehicle if transport E(1), I(1)(g)	SICA		□ E 114-	No smoking/consumption of alcoholic beverage A(3)	M		0
BUILDING	C	N	N/A	PLAYGROUND	С	N	N/A
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)	9	0		Playground equip. safe & firmly anchored B(7)			IVIA
No strangulation/choking/suffocation hazards A(5)(g)(i-iii)	3			Adequate cushioning material; at least 6ft fall zone B(9)	-	-	0
Ceiling, floors, windows, doors free from hazards A(5)(d)	1			Fencing/safety barriers 4ft. in height, in good repair B(4)	-	-	9
Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	7			Outdoor space free from hazards and litter B(2)	ᆲ	╗	
Facility free from pest problems (Insects, rodents) A(8)(b-c)				RESTING	č	ที	N/A
Garbage kept properly in plastic lined receptacles A(8) (d-i)	7			Play Pens observed C(4)			
Electrical outlets are securely covered A(11)(c)	1			Cribs meet federal standards (reviewed certificate) D(1)	1	7	-
Sink area has running water A(12)(d)	10/	. 0		Cots, mats, cribs labeled or charted for each child D(2)		-	-
Soap and disposable towels available at sink A(12)(i)	<u>-</u>			PROGRAM 114-506	C	ที	N/A
Furniture, toys & equipment are clean and in good repair C(1)	1	0	0	Written, planned, daily program of activities that is	-	-	IVA
Furniture, toys & equipment meets the CPSC standards C(2)	7		0	developmentally & age appropriate observed A(1-3)		0	
Healthy pets/animals (Vaccination record up-to-date) E(4)		_		Positive, non-abusive discipline practice B(1)	7		0
			MENT	S 114-508			ŏ
	С	N	N/A		C	N	N/A
Meals & snacks in compliance with USDA A(1)(b)	0	0		Round, firm foods are not offered to children under 4	_		D/
Clean, wholesome, unspoiled, properly labeled food A(4)				yrs. Old, unless properly cut to prevent choking risk A(3)			
Food preparers have proper hair restraints B(5)			8	Food stored & handled properly D(1)			8
Refrigerators have thermometers, temp under 45°F D(2-3)			□ v /		0		1
INFANT CARE 114-509				TRANSPORTATION 114-505 I			
Section and an April to the state of APPA	C	N	N/A		С	N	N/A
nfants are placed on their back to sleep A(5)(a)	18				_	_	8
No bottles propped or given in cribs or on mats A(3)(c)	12				<u>- </u>	0	
ood for toddlers cut in pieces ½ inch or less A(3)(k)		0		Driver's (valid) driver's license reviewed (1)(f)			4
Food for infants cut in pieces ¼ inch or less A(3)(j)			12		_		
Crock pots, bottle warmers, are inaccessible to children, No nicrowaving of beverages observed A(3)(d)				C-Compliant with Regulation N-Noncompliant with Regulation			
Cups and bottles labeled with child's name & used only by that							

Signature of Child Care Licensing Specialist: __

- 1		7	
Page ¹	of	ı	

<u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

NAME OF PROVIDER/OPERATOR Poplar Christian Learning Academy II
PERMIT # 25749

Deficiency Cited	Corrective Action Needed	Expected Date of Correction
One 17 year old staff member missing cleared Central Registry letter.	The staff member will not be at the center without cleared background check.	3/28/24
Children under 30 months not inside a fire rated room per fire code.	All children under 30 months in age must be in a fire approved classroom.	3/28/24
Two staff members missing 2926 Health Assessment.	Staff members will complete their 2926 Health Assessment.	3/28/24

Providers/Operators are required by regulations and statutes to be in compliance at all time.

Licensing Specialist_

Date 04/03/2024