South Carolina Department of Social Services Office of Child Care Licensing INSPECTION VISIT FORM FOR LICENSED CENTERS

aximum number of children: 40 Building 1:aximum number of infants: 0			BIIII	ding 2: Building 3:	CDE	D	
ms posted in public view: 🖊 License 🗀 Menu 💋 Ratio C	200	mont	hs 🗆 I-	4 facility Infants are in designated room s?□ Yes □	No ₫		
	hart (All cla	assrooi	ms) Does facility transport children? □ Yes 🟚 No □ N/	Α		
MANAGEMENT, ADMINISTRATION & STAFFING 114-503	ĮĒ.			SUPERVISION 114-504		910	
Neff Slee are in compliance LI/4.7)	С	Ŋ	N/A	Adams to the state of the state	С	N	N/A
Staff files are in compliance H(1-7) Fraining hours up-to-date K(5)(b-c)		7	<u> </u>	Adequate supervision throughout facility A(1-2) Facility following tracking of children procedures A(3)	1		
At least 1 person with CPR & 1 st Aid on the premises K(5)(h)	12	-		Ratios adequate in all classrooms and on play ground B, C	Z 2	-	
				& SAFETY 114-505			
	С	N	N/A		С	N	N/A
Children's faces/hands are clean B(1)	1			Proper diaper changing practices were observed F(1-16)		-	8
Medicine and harmful items labeled and stored properly D(2)			1	Proper handwashing practices were observed G(4)	1		0
First Aid kit in facility and in vehicle if transport E(1), I(1)(g)			7	No smoking/consumption of alcoholic beverage A(3)		0	1
	YSICA	L SI	E 114	507			
BUILDING	C	N	N/A	PLAYGROUND	С	N	N/A
/entilation and lighting & sufficient A(2)(a-d), (4)(a-c)			1	Playground equip. safe & firmly anchored B(7)	□		1
No strangulation/choking/suffocation hazards A(5)(g)(i-iii)			Z	Adequate cushioning material; at least 6ft fall zone B(9)			10
Ceiling, floors, windows, doors free from hazards A(5)(d) Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	 -		7	Fencing/safety barriers 4ft. in height, in good repair B(4)			4
Facility free from pest problems (Insects, rodents) A(8)(b-c)			-	Outdoor space free from hazards and litter B(2) RESTING		D N	ALVA
Garbage kept properly in plastic lined receptacles A(8) (d-i)	+ -	H	1	Play Pens observed C(4)	C	N	N/A
Electrical outlets are securely covered A(11)(c)	1	ī	1	Cribs meet federal standards (reviewed certificate) D(1)			7
Sink area has running water A(12)(d)			1	Cots, mats, cribs labeled or charted for each child D(2)			7
Soap and disposable towels available at sink A(12)(i)		1		PROGRAM 114-506	c	N	N/A
furniture, toys & equipment are clean and in good repair C(1)		1		Written, planned, daily program of activities that is	-	11	IVIA
furniture, toys & equipment meets the CPSC standards C(2)				developmentally & age appropriate observed A(1-3)	7		
lealthy pets/animals (Vaccination record up-to-date) E(4)			1	Positive, non-abusive discipline practice B(1)	1	0	0
MEA	REC	UIRE	MENT	S 114-508			
	С	N	N/A		С	N	N/A
Meals & snacks in compliance with USDA A(1)(b)			Z	Round, firm foods are not offered to children under 4	7		0
clean, wholesome, unspoiled, properly labeled food A(4)			1	yrs. Old, unless properly cut to prevent choking risk A(3)	6		
ood preparers have proper hair restraints B(5)	1			Food stored & handled properly D(1)	4		
Refrigerators have thermometers, temp under 45°F D(2-3) INFANT CARE 114-509				All cleaning & poisonous items stored away from food D	انتر		
INFANT CARE 114-305	С	N	N/A	TRANSPORTATION 114-505 I	0	NI.	NIA
nfants are placed on their back to sleep A(5)(a)			NIA	Vehicle has proper safety restraints & in good repair I(1)		N	N/A
lo bottles propped or given in cribs or on mats A(3)(c)	10	-	7	Checklist for loading/unloading children reviewed (2)(d)	-	-	1
ood for toddlers cut in pieces ½ inch or less A(3)(k)			1	Driver's (valid) driver's license reviewed (1)(f)	-+		1
ood for infants cut in pieces ¼ inch or less A(3)(j)	1 -		4	entre e (valle) alliver e lleonee remember (v)(i)			
crock pots, bottle warmers, are inaccessible to children, No	0	0	1	C-Compliant with Pagulation		ch.	
nicrowaving of beverages observed A(3)(d)							

1	1
Page _	of _

<u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

NAME OF PROVIDER/OPERATOR	Smart Cookies Preschool
PERMIT #25032	

Deficiency Cited	Corrective Action Needed	Expected Date of Correction	
1 staff missing TB test results	TB test must be completed prior to working in facility	5/27/2024 (1 week)	

Licensing Specialist_	Halles Keldin	Date 5/24 /2024
	0	•

Providers/Operators are required by regulations and statutes to be in compliance

at all time.