South Carolina Department of Social Services Office of Child Care Licensing INSPECTION VISIT FORM FOR LICENSED CENTERS

Facility Name: Lexington Child Development Center Permit #: 25106 Type of Inspection: Address: 1839 Augusta Highway, LEXINGTON, SC 29072 Telephone #: 803-957-2438 Any changes in compared to the compared to	contac	Cor	nplaint	Inspection: Inspection: Immediate Inspection: Immediate Inspection date Inspec) Se		•
Maximum number of children: 77 Building 1:			Duile	ding 2: Building 3: 🗆		_	
Maximum number of infants: 31			be – Lá	ding 2: Building 3: I facility Infanta are in decimated name 2: Yes	CDE	Ρ	
tems posted in public view: License Menu Ratio Ch] Jour	Mi ek	neemon	facility Infants are in designated rooms? Yes	No □	N/A	ı
Tallo of	icait (7	NII UI	30010011	iis) Does lacility transport children? - Yes - No - N/	A		
MANAGEMENT, ADMINISTRATION & STAFFING 114-503	- 3			SUPERVISION 114-504	-		-
	С	N	, N/A	00/ 2/(1/2/0// / / / 00 7	C	N	N/A
Staff files are in compliance H(1-7)		ds/		Adequate supervision throughout facility A(1-2)	(g/	_	INTO
Training hours up-to-date K(5)(b-c)			- G	Facility following tracking of children procedures A(3)	0		† -
At least 1 person with CPR & 1 ^{SI} Aid on the premises K(5)(h)	P/			Ratios adequate in all classrooms and on playground B. C.		+	
HEALTI	<u>н,</u> SА	NITA	TION 8	& SAFETY 114-505			
	С	N	N/A		С	N	N/A
Children's faces/hands are clean B(1)				Proper diaper changing practices were observed F(1-16)		0	
Medicine and harmful items labeled and stored properly D(2)	V			Proper handwashing practices were observed G(4)	0		
First Aid kit in facility and in vehicle if transport E(1), I(1)(g)	Q	0		No smoking/consumption of alcoholic beverage A(3)	0		0/
	SIÇA	L SIT	E 114-	507			
BUILDING	С	, N	N/A	PLAYGROUND	С	N	N/A
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)	0	. 🗆	0	Playground equip. safe & firmly anchored B(7)	9		
No strangulation/choking/suffocation hazards A(5)(g)(i-iii)	u /			Adequate cushioning material; at least 6ft fall zone B(9)		<u> </u>	
Ceiling, floors, windows, doors free from hazards A(5)(d)	Q.	_	0	Fencing/safety barriers 4ft. in height, in good repair B(4)	<u></u>	0	0
Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.	2	, 0	0	Outdoor space free from hazards and litter B(2)	□	0	
Facility free from pest problems (Insects, rodents) A(8)(b-c)	⊌	,0	Ö	RESTING	C	N	N/A
Garbage kept properly in plastic lined receptacles A(8) (d-i)	0			Play Pens observed C(4)			- T
Electrical outlets are securely covered A(11)(c)	1			Cribs meet federal standards (reviewed certificate) D(1)	7		
Sink area has running water A(12)(d)				Cots, mats, cribs labeled or charted for each child D(2)		_	
Soap and disposable towels available at sink A(12)(i)	0			PROGRAM 114-506	c	N	N/A
Furniture, toys & equipment are clean and in good repair C(1)	0	,0		Written, planned, daily program of activities that is		, ' ' 	19/75
Furniture, toys & equipment meets the CPSC standards C(2)	152	0		developmentally & age appropriate observed A(1-3)	Q/	0	
Healthy pets/animals (Vaccination record up-to-date) E(4)			p/	Positive, non-abusive discipline practice B(1)	0/		
MEAL	REQ	UIRE	MENTS	S 114-508			
	С	N	N/A		С	N	N/A
Meals & snacks in compliance with USDA A(1)(b)		□	4	Round, firm foods are not offered to children under 4	Q.		
Clean, wholesome, unspoiled, properly labeled food A(4)	□/			yrs. Old, unless properly cut to prevent choking risk A(3)	Y		
Food preparers have proper hair restraints B(5)		0	□ □	Food stored & handled properly D(1)	ď		
Refrigerators have thermometers, temp under 45°F D(2-3)	- 3			All cleaning & poisonous items stored away from food D		0	
INFANT CARE 114-509			4114	TRANSPORTATION 114-505 I			
Infants are placed on their healt to along A(E)(a)	С	N	N/A	34-61-6-6	С	N	N/A
Infants are placed on their back to sleep A(5)(a)	P,				ㅁ		
No bottles propped or given in cribs or on mats A(3)(c)	9/			Checklist for loading/unloading children reviewed (2)(d)	0		
Food for toddlers cut in pieces ½ inch or less A(3)(k)	VZ/			Driver's (valid) driver's license reviewed (1)(f)			D/
Food for infants cut in pieces ½ inch or less A(3)(j)	2			C Compliant with Downlotter	L try		- 100
Crock pots, bottle warmers, are inaccessible to children, No	m/			C-Compliant with Regulation			
microwaving of beverages observed A(3)(d)	<u>ا</u>	,,,,,		N-Noncompliant with Regulation			
Cups and bottles labeled with child's name & used only by that child A(3)(a)	T			No violations noted at the time of visit □			
טוווע היויא (מי) (מי)		L		I TO ATOIGUOUS HOLEU BE UITE OF AISIT			

Signature of Director/Operator/Designee: Kraw & Spill Date: 13-13-23 \square Refused to sign Signature of Child Care Licensing Specialist:

	1		1
Page	<u> </u>	of _	<u> </u>

<u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

NAME OF PROVIDER/OPERATOR Lexington CDC	
PERMIT #25106	

Deficiency Cited	Corrective Action Needed	Expected Date of Correction
Slides on playground need additional cushioning in front of the slides.	Cushioning material needed in front of slides	12/27/23
Updated Central resgistry check needed for 2 staff	Central registry needs to be completed.	12/27/23

Providers/Operators are required by regulations and statutes to be in compliance at all time.

Licensing Specialist	Phin	2Date	113	23
			,	