South Carolina Department of Social Services Office of Child Care Licensing INSPECTION VISIT FORM FOR LICENSED CENTERS

PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) Volume to the strangulation and lighting & sufficient A(2)(a-d), (4)(a-c) Volume to the sufficient A(2)(a-d), (4)(a-c) Volume to the sufficient A(2)(a-d), (4)(a-c) Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) Volume to the sufficient A(2)(a-d), (4)(a-c) Vol	N N/A N N/A N N/A
aximum number of infants: 47 Image: aximum number of infants are in designated rooms? Yes Infants are in designated rooms? Yes Infants Image: aximum number of infants are in designated rooms? Yes Infants are in designated rooms? Yes Infants Image: aximum number of infants are in designated rooms? Yes Infants Image: aximum number of infants are in designated rooms? Yes Infants Image: aximum number of infants are in designated rooms? Yes Infants Image: aximum number of infants are in designated rooms? Yes Infants Image: aximum number of infants are in designated rooms? Yes Infants Image: aximum number of infants are in designated rooms? Yes Infants Image: aximum number of infants are in designated rooms? Yes Infants Image: aximum number of infants are infants Image: aximum numbe	N N/A
Staff files are in compliance H(1-7) C	N N/A
Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1st Aid on the premises K(5)(h) HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) Vesting, floors, windows, doors free from hazards A(5)(d) Adequate supervision throughout facility A(1-2) Facility following tracking of children procedures A(3) Ratios adequate in all classrooms and on playground B, C Ratios adequate in all classrooms and on playground B, C C N N/A Proper diaper changing practices were observed F(1-16) Proper handwashing practices were observed G(4) Proper handwashing practices were observed G(4) PHYSICAL SITE 114-507 Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) Fencing/safety barriers 4ft. in height, in good repair B(4)	N N/A
Training hours up-to-date K(5)(b-c) At least 1 person with CPR & 1st Aid on the premises K(5)(h) HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Medicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) Ventilation, windows, doors free from hazards A(5)(d) C Fencing/safety barriers 4ft. in height, in good repair B(4) Fencing/safety barriers 4ft. in height, in good repair B(4)	N N/A
At least 1 person with CPR & 1 St Aid on the premises K(5)(h) Ratios adequate in all classrooms and on playground B, C HEALTH, SANITATION & SAFETY 114-505 C N N/A C Children's faces/hands are clean B(1) D Proper diaper changing practices were observed F(1-16) D Vedicine and harmful items labeled and stored properly D(2) D D Froper handwashing practices were observed G(4) D Froper handwashing practices were observed G(4) D No smoking/consumption of alcoholic beverage A(3) D PHYSICAL SITE 114-507 D Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) D D No strangulation/choking/suffocation hazards A(5)(g)(i-iii) D D Adequate cushioning material; at least 6ft fall zone B(9) D Ceiling, floors, windows, doors free from hazards A(5)(d) D D Fencing/safety barriers 4ft. in height, in good repair B(4) D Ceiling, floors, windows, doors free from hazards A(5)(d) D Fencing/safety barriers 4ft. in height, in good repair B(4) D Ceiling, floors, windows, doors free from hazards A(5)(d) D Fencing/safety barriers 4ft. in height, in good repair B(4) D Ceiling floors, windows free from hazards A(5)(d) D Ceiling floors free from hazards A(5)(d) Ceiling floors floor	N N/A
HEALTH, SANITATION & SAFETY 114-505 C N N/A Children's faces/hands are clean B(1) Vedicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C N N/A PLAYGROUND C N N/A PLAYGROUND C N Strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) C N Fencing/safety barriers 4ft. in height, in good repair B(4)	N N/A
C N N/A Children's faces/hands are clean B(1) Wedicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C N N/A PLAYGROUND C N N/A Playground equip. safe & firmly anchored B(7) Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) Vo strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) C N N/A Playground equip. safe & firmly anchored B(7) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4)	
Children's faces/hands are clean B(1) Wedicine and harmful items labeled and stored properly D(2) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Proper handwashing practices were observed G(4) Proper handwashing practices were observed G(4) Proper handwashing practices were observed G(4) No smoking/consumption of alcoholic beverage A(3) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) Vo strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Fencing/safety barriers 4ft. in height, in good repair B(4)	
Vedicine and harmful items labeled and stored properly D(2)	
First Aid kit in facility and in vehicle if transport E(1), I(1)(g) PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C Playground equip. safe & firmly anchored B(7) Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) Vo strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Fencing/safety barriers 4ft. in height, in good repair B(4)	
PHYSICAL SITE 114-507 BUILDING C N N/A PLAYGROUND C Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) Volume to the strangulation of the sufficient A(2)(a-d), (4)(a-c) Ventilation and lighting & sufficie	
BUILDING C N N/A PLAYGROUND C I Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)	AITA
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) □ □ □ Playground equip. safe & firmly anchored B(7) □ No strangulation/choking/suffocation hazards A(5)(g)(i-iii) □ □ Adequate cushioning material; at least 6ft fall zone B(9) □ Ceiling, floors, windows, doors free from hazards A(5)(d) □ □ Fencing/safety barriers 4ft. in height, in good repair B(4) □	
Vo strangulation/choking/suffocation hazards A(5)(g)(i-iii) Ceiling, floors, windows, doors free from hazards A(5)(d) Adequate cushioning material; at least 6ft fall zone B(9) Fencing/safety barriers 4ft. in height, in good repair B(4)	
Ceiling, floors, windows, doors free from hazards A(5)(d)	
Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. -acility free from pest problems (Insects, rodents) A(8)(b-c) -acility free from pest problems (Insects, rodents) A(8)(b-c) -acility free from pest problems (Insects, rodents) A(8)(b-c)	
	N/A
Garbage kept properly in plastic lined receptacles A(8) (d-i)	
Electrical outlets are securely covered A(11)(c) Sink cose has a various value A(12)(d) Cribs meet federal standards (reviewed certificate) D(1)	
Sink area has running water A(12)(d) Cots, mats, cribs labeled or charted for each child D(2)	
Soap and disposable towels available at sink A(12)(i) PROGRAM 114-506 C	N/A
-urniture, toys & equipment are clean and in good repair C(1) Written, planned, daily program of activities that is	
-urniture, toys & equipment meets the CPSC standards C(2)	
-lealthy pets/animals (Vaccination record up-to-date) E(4)	
MEAL REQUIREMENTS 114-508	100 PERSON
C N N/A	N/A
Vleals & snacks in compliance with USDA A(1)(b) □ □ Image: Round, firm foods are not offered to children under 4 □ □ Clean, wholesome, unspoiled, properly labeled food A(4) □ □ Image: Vlean of the compliance with USDA A(1)(b) □ Image: Vlean of the compliance with USDA A(1)(b) □ Image: Vlean of the compliance with USDA A(1)(b) □ Image: Vlean of the compliance with USDA A(1)(b) □ Image: Vlean of the compliance with USDA A(1)(b) □ Image: Vlean of the compliance with USDA A(1)(b) □ Image: Vlean of the compliance with USDA A(1)(b) □ Image: Vlean of the compliance with USDA A(1)(b) □ Image: Vlean of the compliance with USDA A(1)(b) □ Image: Vlean of the compliance with USDA A(1)(b) □ Image: Vlean of the compliance with USDA A(1)(b) □ Image: Vlean of the compliance with USDA A(1)(b) □ Image: Vlean of the compliance with USDA A(1)(b) □ Image: Vlean of the compliance with USDA A(1)(b) □ Image: Vlean of the compliance with USDA A(1)(b) □ Image: Vlean of the compliance with USDA A(1)(b) □ Image: Vlean of the compliance with USDA A(1)(b) □ Image: Vlean of the compliance with USDA A(1)(b) □ Image: Vlean of the compliance with USDA A(1)(b) □ Image: Vlean of the compliance with USDA A(1)(b) □ Image: Vlean of the compliance with USDA A(1)(b) □ Image: Vlean of the compliance with USDA A(1)(b) □ Image: Vlean of the compl	
Food property have proper heir contraints P(5)	
	_
The state of the s	P
Infants are placed on their back to close A/5/(a)	_
3	- V
The state of the s	
Food for infants cut in pieces ½ inch or less A(3)(k) □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	db/
Crock pots, bottle warmers, are inaccessible to children, No	
microwaving of beverages observed A(3)(d) N-Noncompliant with Regulation	
Cups and bottles labeled with child's name & used only by that child A(3)(a) No violations noted at the time of visit No violations noted not	
Signature of Director/Operator/Designee: Compared to Signature of Child Care Licensing Specialist: Compared to Signature	