South Carolina Department of Social Services Office of Child Care Licensing

INSPECTION VISIT FORM FOR LICENSED CENTERS

acility Name: Growing In Grace Date of Inspection: 2125124 Time of Inspection: 2 43 'ermit #: 23275 Type of Inspection:

Annual Complaint □ Follow Up (original inspection date Reason for Follow up:

clear up pending deficiency

Self-Report Address: 3705 Farrs Bridge Rd, Easley, SC 29640 Hours of Operation: Single Shift elephone #: 864-246-7883 Any changes in contact info (Phone/Email/Fax)? ☐ Yes ☐ No Overnight Care? - Yes - No lenter Director/Designee: Wanda Duncan, Kayce Owen hange in Ownership or Director?

Yes

No If yes, Name: Maximum number of children: 106 Building 1: Building 2: Building 3: □ CDEP laximum number of infants: 46 / □ 24 months to 30 months □ I-4 facility Infants are in designated rooms? (v/es a No a N/A iems posted in public view: License Menu Ratio Chart (All classrooms) Does facility transport children? No DNA MANAGEMENT, ADMINISTRATION & STAFFING 114-503 SUPERVISION 114-504 N/A C N N/A Staff files are in compliance H(1-7) ₽/ Adequate supervision throughout facility A(1-2) **V** Training hours up-to-date K(5)(b-c) Facility following tracking of children procedures A(3) At least 1 person with CPR & 1st Aid on the premises K(5)(h) 10/ Ratios adequate in all classrooms and on playground B, C HEALTH, SANITATION & SAFETY 114-505 C N N/A С Ν N/A Children's faces/hands are clean B(1) **b**/ Proper diaper changing practices were observed F(1-16) 0/ Medicine and harmful items labeled and stored properly D(2) 70/ Proper handwashing practices were observed G(4) 0/ First Aid kit in facility and in vehicle if transport E(1), I(1)(g) S/ No smoking/consumption of alcoholic beverage A(3) O PHYSICAL SITE 114-507 BUILDING C N N/A **PLAYGROUND** С N/A Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c) N/ o Playground equip. safe & firmly anchored B(7) 0/ No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Adequate cushioning material; at least 6ft fall zone B(9) IJ/ Φ Ceiling, floors, windows, doors free from hazards A(5)(d) Q/ Fencing/safety barriers 4ft. in height, in good repair B(4) ď Q Building(s) temp between 68-80°F A(7) If no, close in 4 hrs. Outdoor space free from hazards and litter B(2) О 'n П Facility free from pest problems (Insects, rodents) A(8)(b-c) Q/ RESTING C Ν N/A Garbage kept properly in plastic lined receptacles A(8) (d-i) Play Pens observed C(4) 1 ď Electrical outlets are securely covered A(11)(c) **□** Cribs meet federal standards (reviewed certificate) D(1) Q, Sink area has running water A(12)(d) ٦V Cots, mats, cribs labeled or charted for each child D(2) 'n, Soap and disposable towels available at sink A(12)(i) άQ/ PROGRAM 114-506 C N N/A Furniture, toys & equipment are clean and in good repair C(1) 10 Written, planned, daily program of activities that is Furniture, toys & equipment meets the CPSC standards C(2) \Box D/ developmentally & age appropriate observed A(1-3) Healthy pets/animals (Vaccination record up-to-date) E(4) ◩ Positive, non-abusive discipline practice B(1) П MEAL REQUIREMENTS 114-508 C N N/A C Ν N/A Meals & snacks in compliance with USDA A(1)(b) Round, firm foods are not offered to children under 4 ď Clean, wholesome, unspoiled, properly labeled food A(4) yrs. Old, unless properly cut to prevent choking risk A(3) Q Food preparers have proper hair restraints B(5) Food stored & handled properly D(1) Refrigerators have thermometers, temp under 45°F D(2-3) 12 All cleaning & poisonous items stored away from food D Va/ **INFANT CARE 114-509** TRANSPORTATION 114-505 I С N N/A С N N/A Infants are placed on their back to sleep A(5)(a) Ø Vehicle has proper safety restraints & in good repair I(1) \Box No bottles propped or given in cribs or on mats A(3)(c) o/ Checklist for loading/unloading children reviewed (2)(d) Food for toddlers cut in pieces ½ inch or less A(3)(k) শ্ব Driver's (valid) driver's license reviewed (1)(f) Food for infants cut in pieces 1/4 inch or less A(3)(i) Ħ Crock pots, bottle warmers, are inaccessible to children, No C-Compliant with Regulation o microwaving of beverages observed A(3)(d) N-Noncompliant with Regulation Cups and bottles labeled with child's name & used only by that child A(3)(a) No violations noted at the time of visit Signature of Director/Operator/Designee: Which Director/Operator/Designee: Which Director/Operator/Designee: Date: 6/25/24 Refused to sign Signature of Child Care Licensing Specialist: Leslie Crous Date: 6/05/24

Page	1	of	1
------	---	----	---

<u>Division of Early Care and Education Deficiency</u> <u>Correction</u>

NAME OF PROVIDER/OPERATOR Growing In Grace

PERMIT # 23275

Electrical Outlet needs white cover in classroom. Center will put white cover over electrical outlet in classroom. Center will put toilet tank lid is needed on toilet in the 2's/3's classroom. Center will put toilet tank lid on toilet in the 2's/3's classroom. O7/25/24	Deficiency Cited	Corrective Action Needed	Expected Date of Correction
on toilet in the 2's/3's lid on toilet in the 2's/3's		over electrical outlet in	06/25/24
	on toilet in the 2's/ 3's	lid on toilet in the 2's/3's	07/25/24

Providers/Operators are required by regulations and statutes to be in compliance at all times.

Licensing Specialist Reslie Craig	Date 6/25/24	
DSS Form 2910 (Feb 2023)		_