South Carolina Department of Social Services Office of Child Care Licensing INSPECTION VISIT FORM FOR REGISTERED FAITH BASED CHILD CARE CENTERS

acility Name: First Baptist Christian Educational Developme ermit #: 533			ınual	Date of Inspection: Time of Inspection: 10 Complaint Follow Up (original inspection date)
.ddress: 112 E. Main Street, Moncks Corner, SC 29461				Reason for Follow up: pending deficience Hours of Operation: Single Shift	ies 🗆	self-r	report
	conta	act in	fo (Pho	one/Email/Fax)? □ Yes ✓ No Overnight Care?	□Y	es	⊭ No
faximum number of children: 282 Building 1:		l nonth	Buildin is 🗖 1-4	g 2: Building 3: 4 facility	⊐ N/A	i	
MANAGEMENT 114-523			2142	APPLICATION OF STAFF: CHILD RATIOS 114-524			
Out (C)	C	N	N/A		С		N/A
Staff files are in compliance F(1-4)	1	0		Adequate supervision throughout the facility A(1) (a-b)	Z	_	
Are training hours up-to-date? F(3)(a-b)			<u>Z</u>	Facility following tracking of children procedures A(2)		7	
At least 1 person with CPR & 1 St Aid on the premises H(5)(f)	Z			Ratios adequate in all classrooms and on playground B & C	Z		
HEAL	TH, S	SANII N	ATIO N/A	N & SAFETY 114-525	Ċ	N	N/A
Children's faces/hands are clean B(1)	0			Proper diaper diapering practices were observed F(1-16)	0		Z Z
Medicine & harmful items labeled and stored properly D(2)	7	0		Proper handwashing practices were observed G(4)	7	0	0
First Aid kit in facility and in vehicle if transport E(1), I(1)(g)	D			Smoking permitted only in designated area A(3)	1 -		-
	•		Ð		J D		
PHY	_	-	E 114	527			
DUIT DING	С	N	N/A		С	N	N/A
BUILDING				PLAYGROUND	Ø		
Ventilation and lighting sufficient A(2)(a-d),(4)(a-c)	1			Outdoor space free of glass, paper & other litter B(2)	1	G	
Ceiling, floors, windows, doors free from hazards A(5)(d)	15			Fencing/safety barriers 4ft in height, in good repair B(4)	2		
No strangulation/choking/suffocation hazards A(5)(g)(i-iii)	1	-		Playground equipment safe & firmly anchored C (6)	1		0
Building(s) temp between 68-80 °F A(7)	Z			Adequate cushioning material; at least 6ft. fall zone C(8)	Ø		
Facility free from pest problems (Insects, rodents)A(8)(b-c)	7			RESTING	C_	N	N/A
Garbage kept properly in plastic lined receptacles A(8)(d·i)	1			Cribs meet federal standards (reviewed certificate) D(1)	A	-	
Electrical outlets are securely covered A(11)(c)	7			Cots, beds, mats, & cribs labeled for each child D(2)	1	0	
Sink area has hot & cold water A(12)(d) Soap and towels in restrooms A(12)(i)	7			Pack & plays not used for sleeping D(1-2) TRANSPORTATION 114-525 I	₫		
Furniture, toys & equipment are clean and in good repair C(1)	Ø	<u> </u>	0				
Furniture, toys & equipment meets CPSC standards C(2)	P	0		Vehicle has proper safety restraints and in good repair I(1) Checklist for loading/unloading children reviewed, I(2)(d)	Z		
		UDE			<u>/</u> 2		
		1		5 114-528			
Meals and snacks in compliance with USDA A(1)(b)	C	N	N/A	Dound firm foods are not given to children under 4.4.	С	N	N/A
Clean, wholesome, unspoiled properly labeled food A(4)	<i>p</i>	0		Round, firm foods are not given to children under 4y/o, unless properly cut to prevent choking risk. A(3)			
Food preparers have proper hair restraints B(5)	7			Food labeled, stored and handled properly D(1)	Z		
Refrigerators have thermometers(Temp under 45°F)D(2-3)	7		0	Cleaning & poisonous items stored away from food D(8)	9/		
	- /-		114-5		2		
	ANT C	UARL	. 114-		c l	NI.	NI/A
Cups and bottles labeled with child's name & used only by that	child	Δ/1\/	2)	<u>.</u>		_N	N/A
No bottles propped or given in cribs or on mats A(1)(c)	Cillia i	~(')(a,		12		
Breast milk is not heated in the microwave. If microwave is used	d to b	ant fo		They are a possible of a position of the surviving A (4) (4)	25	D	
	1 10 11	eat it	mula	beverages, parents are notined in writing A(1)(d)	4		
Food for toddlers cut in pieces ½ inch or less. A(1)(k) Food for infants cut in pieces ¼ inch or less. A(1)(j)					2		
Infants are placed on their backs to sleep, unless Doctor's note	io pre	wido	1 A (2)	(a)	2		
minutes are placed on their backs to sleep, utiless boctor's note	is bir	MIGE	ı. A(3)	(a)	□		
C = Compliant with Regulation - N = Noncompliant with	Dear	منفوار	n	No violations noted at the time of visit □			
- compliant with regulation - N - Noncompliant with	regu	ııdilÖ	11	THE VIOLATIONS HOLEN AT THE THE OF VISIT			
Signature of Director/Operator/Designee:	1			Date: 1/1/24 □ Refuse	ed to s	sign	
Signature of Child Care Licensing Specialist:	الالا	1_1	H	Date: 7 1 3 5 1			

	1		1	
Page	1	_ of		

<u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

Deficiency Cited	Corrective Action Needed	Expected Date of Correction	
A child was observed in a classroom that is not approved by a Fire Marshall.	No children should be in the classroom until the room is approved by Fire Marshall.	7/1/2024	
<u> </u>			
Providers/Operators are r	equired by regulations and	etatutes to be in compli	