South Carolina Department of Social Services Office of Child Care Licensing

INSPECTION VISIT FORM FOR LICENSED FAMILY CHILD CARE HOMES Operator Name: Courtney Johnson Date of Inspection: 5/23/24 Time of Inspection: 12:57pm ²ermit #: 25410 Type of Inspection:

Annual Complaint Renewal Follow Up (original inspection date \ddress: 6 Mountain Chase Dr, TAYLORS, SC 29687 Reason for Follow up:

clear up pending deficiency

Self-Report Hours of Operation: Single Shift

elephone #: 864-252-6354 hange in address? □ Yes ☑ No

Any changes in contact info (Phone/Email/Fax)? □ Yes Zoning restrictions - Yes No

Overnight Care? □ Yes WNo

otal Capacity: 6

Items to be posted: dr License 114-528 D(2) dr Menu III D(1)(c)

'erify the following: Verified Liability Insurance 63-13-210 ☐ Yes to No If no, verify signed statements from parents. If Yes ☐ No ☐ N/A

HEALTH, SANIT	ΓΑΤΙΟ	N & :	SAFET	Y - SUGGESTED STANDARDS			
Did you also and a second and a	С	N	N/A	TOUGHTED STANDARDS			188
Did you observe proper diaper changing practices III A(2)(a)	-			Medicina labolad 8 at	С	N	N
i not ald supplies III flome III A (5-6)	10		0	Medicine labeled & stored properly III A(4)		1	+
Any pets/animals? IV B(1)(g) Type of animal 2.4040	1	1 - 1		Children's faces/hands clean III A(2)(b)	100	+	+
(Dog, cat, etc.)	100	ro Yes □ No		Have pets/animals been vaccinated? IV B(1)(g)	1-	+=	╂┷
Lighting & ventilation sufficient IV B(1)(f)	+-			O-11 - 1000mated: 14 B(1)(g)	10		
12 - 76 - E 715 Se a 125 A6	B			Outdoor toys & equipment in safe, good condition IV	+-	+	+
Carpet, ceiling, floors, & rugs are clean & secure IV B(1)(d)	+-	_		7(0)(0)	le		
Soap & single service towels in restrooms V B(3)(c)	M			Unsafe areas fenced/safety barriers in place IV A(2)(a)	100	 _ -	+
B(3)(C)	Ves			Grounds free of glass, paper & other litter IV B(1)(b)	(Car	-	0
Sink area has hot & sold water by Drove	1			Infants are placed on their backs (Unless Doctor note is	D	10	
Sink area has hot & cold water IV B(2)(a-b)			. 🗆	provided) 63-13-830 (e)(1)			
strangulation, choking, or suffocation hazards IV A(3)(a)	R	Ö		Pack & Plays used for sleeping IV B(5)(a)(1-2)			
5-10-2-12 - 25-12	+	-		Cote had a see for sleeping IV B(5)(a)(1-2)	0		6
lome free from pest problems(insects, rodents) IV B(1)(c)	1			Cots, beds, mats, & cribs available for each child IV			
Sarbage & refuse stored in a durable container IV B(4)(b)		_		D(J)(a)(1-2)	6	0	0
Any serious injuries requiring medical the	10			Cribs meet federal standards (reviewed cert.) IV A(3)(c)	ש		_
Any serious injuries requiring medical attention?	MY	es 🗆	No	Any fatalities?			
PROG	RAM	- SU	GGES	TED STANDARDS	αY	es	DV NO
	C	N	N/A				
oaily schedule-developmentally appropriate activities for hildren III C(1)	1			Emergency or disaster plan I A(1)(j)	c l	N	N/A
CONTROL OF THE PROPERTY OF THE	1 - 1				b		
WEAL REQU	JIREM	ENT	<u>s - su</u>	GGESTED STANDARDS	10000000	NO-PERSON	and the last
	C_	N	N/A		c l	M	ALIA
ood stored & handled properly IV B (6)(a)		0		Meals & snacks in compliance III D(1)	-	N	N/A
Refrigerators have thermometers, temp 45° or below IV	4			w compliance in D(1)	0/	<u> </u>	
9(6)(a)	-						
STAFFING / S	UPER	VISIO	DN - S	UGGESTED STANDARDS			
	С	N		turning to the second s			
taff observed were qualified? 63-13-830 (C)	0			s provider over serveth 0.444 BBCD in	С	N	
roper supervision observed?	B	-		Is provider over capacity? 114-528D(3)	ם	de	
raining hours up-to-date? 63-13-825	0	<u> </u>		Number of children observed: 5			
	1 9/						

Suggested Standards are mandated requirements for Family Child Care Home operators who elect to be licensed

Supervision: Care provided to an individual child or group of children. Adequate supervision requires awareness of and responsibility for the ongoing activity of each child, knowledge of activity requirements and children's needs and accountability for their care. Adequate supervision also requires the operator and/or staff being near and having ready access to children in order to intervene when needed.

Signature of Operator/Emergency Person:

□ Refused to sign

Signature of Child Care Licensing Specialist: