South Carolina Department of Social Services

Office of Child Care Licensing

INSPECTION VISIT FORM FOR REGISTERED FAITH BASED CHILD CARE CENTERS acility Name: Holy Trinity Episcopal Day School Date of Inspection: 9/23/24 Time of Inspection: 12:13 'ermit #: 23844 Type of Inspection: □ Annual Complaint □ Follow Up (original inspection date_ Reason for Follow up: pending deficiencies self-report ddress: 193 Old Greenville Hwy., CLEMSON, SC 29631 Hours of Operation: Single Shift elephone #: 864-654-0298 Any changes in contact info (Phone/Email/Fax)? ☐ Yes Overnight Care?

Yes Center Director/Designee: Stephanie Gardner LaGuardia Change in Ownership or Director?

Yes

No If yes, Name: Maximum number of children: 171 Building 1: Building 2: Building 3: □ 24 months • 60 months □ 1-4 facility Infants are in designated rooms? □ Yes □ No • N/A Maximum number of infants: 11 tems posted in public view: Registration Menu Ratio Chart (All classroom) Does facility transport children? **MANAGEMENT 114-523** APPLICATION OF STAFF: CHILD RATIOS 114-524 C N N/A С N N/A Staff files are in compliance F(1-4) ď Adequate supervision throughout the facility A(1) (a-b) Are training hours up-to-date? F(3)(a-b) 0 Facility following tracking of children procedures A(2) Q 0 a At least 1 person with CPR & 1St Aid on the premises H(5)(f) **b**/ Ratios adequate in all classrooms and on playground B & C 12/ HEALTH, SANITATION & SAFETY 114-525 CN N/A C Ν Children's faces/hands are clean B(1) Proper diaper diapering practices were observed F(1-16) P `₩ Medicine & harmful items labeled and stored properly D(2) do م Proper handwashing practices were observed G(4) Z/ /□ First Aid kit in facility and in vehicle if transport E(1), I(1)(g) ďν Smoking permitted only in designated area A(3) PHYSICAL SITE 114-527 C N N/A N N/A BUILDING PLAYGROUND **D**/ Ventilation and lighting sufficient A(2)(a-d),(4)(a-c) 0/0 Outdoor space free of glass, paper & other litter B(2) Ġ, Ceiling, floors, windows, doors free from hazards A(5)(d) Fencing/safety barriers 4ft in height, in good repair B(4) v/ **13** 0 No strangulation/choking/suffocation hazards A(5)(g)(i-iii) vď Playground equipment safe & firmly anchored C (6) ď Building(s) temp between 68-80 °F A(7) vd Adequate cushioning material; at least 6ft. fall zone C(8) ₹ 0 Facility free from pest problems (Insects, rodents)A(8)(b-c) w ۵٫ RESTING 0 С N N/A Garbage kept properly in plastic lined receptacles A(8)(d-i) Cribs meet federal standards (reviewed certificate) D(1) 0 -₫/ Electrical outlets are securely covered A(11)(c) Q' Cots, beds, mats, & cribs labeled for each child D(2) Q/ □ Sink area has hot & cold water A(12)(d) Pack & plays not used for sleeping D(1-2) 0 Soap and towels in restrooms A(12)(i) **TRANSPORTATION 114-525 I** 9 **∠**□ ø Furniture, toys & equipment are clean and in good repair C(1) ,o Vehicle has proper safety restraints and in good repair I(1) ďν Furniture, toys & equipment meets CPSC standards C(2) Checklist for loading/unloading children reviewed. I(2)(d) **MEAL REQUIREMENTS 114-528** CN N/A C N N/A Meals and snacks in compliance with USDA A(1)(b) **u** Round, firm foods are not given to children under 4y/o, Clean, wholesome, unspoiled properly labeled food A(4) unless properly cut to prevent choking risk. A(3) ভ 0 Food preparers have proper hair restraints B(5) M Food labeled, stored and handled properly D(1) o A Refrigerators have thermometers(Temp under 45°F)D(2-3) Cleaning & poisonous items stored away from food D(8) e | 0 Ø 0 INFANT CARE 114-529 C Ν N/A Cups and bottles labeled with child's name & used only by that child A(1)(a) 4 o No bottles propped or given in cribs or on mats A(1)(c) 0/ Breast milk is not heated in the microwave. If microwave is used to heat formula/beverages, parents are notified in writing A(1)(d) Food for toddlers cut in pieces ½ inch or less. A(1)(k) Food for infants cut in pieces 1/4 inch or less. A(1)(j) 6 Infants are placed on their backs to sleep, unless Doctor's note is provided. A(3)(a) No violations noted at the time of visit C = Compliant with Regulation - N = Noncompliant with Regulation