## South Carolina Department of Social Services Office of Child Care Licensing

## INSPECTION VISIT FORM FOR LICENSED CENTERS Date of Inspection: 9-4-24 Time of Inspection: 41,26 ///

aximum number of infants: 0	<b>5</b> 30		d	Iding 2: Building 3:	CD	EP _	_
	hart (	All cl	ins 🗆 I- assroo	4 facility Infants are in designated rooms? Yes ms) Does facility transport children? Yes	⊨No I/A	e Nī	A
MANAGEMENT, ADMINISTRATION & STAFFING 114-503		. 5	Cr. D	SUPERVISION 114-504	70		·
Stoff files are in compliance 11/4 7)	С	N	N/A				N/
Staff files are in compliance H(1-7) Training hours up-to-date K(5)(b-c)		-	-	Adequate supervision throughout facility A(1-2)			Į.
At least 1 person with CPR & 1 <sup>st</sup> Aid on the premises K(5)(h)	2	-		Facility following tracking of children procedures A(3) Ratios adequate in all classrooms and on playground B, C			
				& SAFETY 114-505	. [		
	С	N	N/A	3 0 11 2 1 1 1 1 4 3 3 3	С	N	NH/
Children's faces/hands are clean B(1)	2	-		Proper diaper changing practices were observed F(1-16)		+	N/
Medicine and harmful items labeled and stored properly D(2)	1	1		Proper handwashing practices were observed <b>G</b> (4)	<i>-</i>	-	1
First Aid kit in facility and in vehicle if transport E(1), I(1)(g)	2			No smoking/consumption of alcoholic beverage A(3)	무		1 5
			ΓΕ 114·	507	Q.		
BUILDING	С	N	N/A	PLAYGROUND	С	N	N/A
Ventilation and lighting & sufficient A(2)(a-d), (4)(a-c)	5			Playground equip. safe & firmly anchored B(7)		† · · ·	
No strangulation/choking/suffocation hazards A(5)(g)(i-iii)	7		0	Adequate cushioning material; at least 6ft fall zone B(9)	9		-
Ceiling, floors, windows, doors free from hazards A(5)(d)	1	0		Fencing/safety barriers 4ft. in height, in good repair B(4)	2		
Building(s) temp between 68-80°F A(7) If no, close in 4 hrs.				Outdoor space free from hazards and litter B(2)	2		
Facility free from pest problems (insects, rodents) A(8)(b-c)			-0	RESTING	С	N	N/A
Garbage kept properly in plastic lined receptacles A(8) (d-i)	0			Play Pens observed C(4)	1		
Electrical outlets are securely covered A(11)(c)	9			Cribs meet federal standards (reviewed certificate) D(1)			
Sink area has running water A(12)(d)	7			Cots, mats, cribs labeled or charted for each child D(2)			0
Soap and disposable towels available at sink A(12)(i)	7			PROGRAM 114-506	C	N	N/A
Furniture, toys & equipment are clean and in good repair C(1)	1			Written, planned, daily program of activities that is			
Furniture, toys & equipment meets the CPSC standards C(2)				developmentally & age appropriate observed A(1-3)	Z		
Healthy pets/animals (Vaccination record up-to-date) E(4)		0		Positive, non-abusive discipline practice B(1)			
MEAL	_	_		S 114-508			
Moole & specks in compliance with LISDA A(4)/h)			N/A	Provide for for the second for the secon	С	N	N/A
Meals & snacks in compliance with USDA A(1)(b)  Clean, wholesome, unspoiled, properly labeled food A(4)	1			Round, firm foods are not offered to children under 4		-0	
Food preparers have proper hair restraints B(5)	1			yrs. Old, unless properly cut to prevent choking risk A(3)			0
Refrigerators have thermometers, temp under 45°F D(2-3)				Food stored & handled properly D(1)  All cleaning & poisonous items stored away from food D	2		
INFANT CARE 114-509				TRANSPORTATION 114-505 I	Z		
	С	N	N/A	TRANSFORTATION 114-3001	С	N	N/A
nfants are placed on their back to sleep A(5)(a)	0			Vehicle has proper safety restraints & in good repair I(1)			3
No bottles propped or given in cribs or on mats A(3)(c)	В		6.	Checklist for loading/unloading children reviewed (2)(d)			
Food for toddlers cut in pieces ½ inch or less A(3)(k)			6,	Driver's (valid) driver's license reviewed (1)(f)	_		3
Food for infants cut in pieces ¼ inch or less A(3)(j)		D	•				
Crock pots, bottle warmers, are inaccessible to children, No				C-Compliant with Regulation			1
microwaving of beverages observed A(3)(d)			_ = .	N-Noncompliant with Regulation			
Cups and bottles labeled with child's name & used only by that child A(3)(a)	0		4	No violations noted at the time of visit □			

-	1	1
Page	of	

## <u>Division of Early Care and Education</u> <u>Deficiency Correction</u>

Corrective Action Needed	Expected Date of Correction	
	09/13/2024	
	Needed Send off 2924 Central	