South Carolina Department of Social Services

Office of Child Care Licensing

VIRTUAL INSPECTION FOR REGISTERED FAITH BASED CENTERS

DUE TO COVID19 EMERGENCY Date of Inspection: _____ Time of Inspection: ____ acility Name: Beaufort Christian School Type of Inspection: Renewal Defollow Up (original inspection date_ ermit #: 869 .ddress: 378 Parris Island Gateway Beaufort, SC 29906 Hours of Operation: M-F7:00a-5:30p elephone #: 843-525-0635 Any changes in contact info (Phone/Email/Fax)? □ Yes ☑ No Overnight Care?

Yes

No :enter Director/Designee: Douglas A Wadsworth hange in Ownership or Director?

Yes

No If yes, Name: faximum number of children: 80 Building 1: Building 2: Building 3: faximum number of infants: 0 □ 24 months □ 30 months □ I-4 facility Infants are in designated rooms? □ Yes □ No ☑ N/A ems posted in public view: 🗷 Registration 🗆 Menu 🛣 Ratio Chart (All classroom) Does facility transport children? 🗹 Yes 🗅 No MANAGEMENT 114-523 APPLICATION OF STAFF: CHILD RATIOS 114-524 C N N/A C N N/A Staff files are in compliance F(1-4) Adequate supervision throughout the facility A(1) (a-b) Ø Are training hours up-to-date? F(3)(a-b) 0 0 Facility following tracking of children procedures A(2) At least 1 person with CPR & 1st Aid on the premises H(5)(f) Ratios adequate in all classrooms and on playground B & C HEALTH, SANITATION & SAFETY 114-525 CN N/A С Ν N/A Children's faces/hands are clean B(1) Proper diaper diapering practices were observed F(1-16) Medicine & harmful items labeled and stored properly D(2) Proper handwashing practices were observed G(4) First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Smoking permitted only in designated area A(3) PHYSICAL SITE 114-527 C N N/A C Ν N/A BUILDING **PLAYGROUND** Ventilation and lighting sufficient A(2)(a-d).(4)(a-c) Outdoor space free of glass, paper & other litter B(2) Ceiling, floors, windows, doors free from hazards A(5)(d) **P** Fencing/safety barriers 4ft in height, in good repair B(4) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) Playground equipment safe & firmly anchored C (6) Building(s) temp between 68-80 °F A(7) Adequate cushioning material; at least 6ft. fall zone C(8) Facility free from pest problems (Insects, rodents)A(8)(b-c) RESTING С Ν N/A Garbage kept properly in plastic lined receptacles A(8)(d-i) d Cribs meet federal standards (reviewed certificate) D(1) Electrical outlets are securely covered A(11)(c) Cots, beds, mats, & cribs labeled for each child D(2) Sink area has hot & cold water A(12)(d) 2 Pack & plays not used for sleeping D(1-2) Soap and towels in restrooms A(12)(i) **TRANSPORTATION 114-525 I** Furniture, toys & equipment are clean and in good repair C(1) Vehicle has proper safety restraints and in good repair I(1) Furniture, toys & equipment meets CPSC standards C(2) Checklist for loading/unloading children reviewed. I(2)(d) MEAL REQUIREMENTS 114-528 С N N/A CN N/A Meals and snacks in compliance with USDA A(1)(b) Round, firm foods are not given to children under 4y/o. Clean, wholesome, unspoiled properly labeled food A(4) unless properly cut to prevent choking risk. A(3) 3 ood preparers have proper hair restraints B(5) Food labeled, stored and handled properly D(1) Refrigerators have thermometers(Temp under 45°F)D(2-3) Cleaning & poisonous items stored away from food D(8) INFANT CARE 114-529 С Ν N/A Cups and bottles labeled with child's name & used only by that child A(1)(a) No bottles propped or given in cribs or on mats A(1)(c) Breast milk is not heated in the microwave. If microwave is used to heat formula/beverages, parents are notified in writing A(1)(d) Food for toddlers cut in pieces ½ inch or less. A(1)(k) Food for infants cut in pieces ¼ inch or less. A(1)(i)

Signature of Director/Operator/Designee: (no signature required due to virtual inspection completed)

Infants are placed on their backs to sleep, unless Doctor's note is provided. A(3)(a)

C = Compliant with Regulation - N = Noncompliant with Regulation

Signature of Child Care Licensing Specialist: Date: U 20 21

No violations noted at the time of visit