## South Carolina Department of Social Services Office of Child Care Licensing

INSPECTION VISIT FORM FOR REGISTERED FAITH BASED CHILD CARE CENTERS Facility Name: All Saints Classical Christian School Date of Inspection: 111112021 Time of Inspection: 12:30m -1:14a Permit #: 302 Type of Inspection: Annual Complaint Follow Up (original inspection date 9 13 2021) Reason for Follow up: pending deficiencies pself-report Address: 3560 Kings River Road, PAWLEYS ISLAND, SC 29585 Hours of Operation: 8:30AM-2:30PM Telephone #: 843-237-8524 Any changes in contact info (Phone/Email/Fax)? ☐ Yes ☑ No Overnight Care? - Yes -No Center Director/Designee: Susan Graves Change in Ownership or Director? ☐ Yes ☑ No If yes, Name: Maximum number of children: 114 Building 2: \_\_\_ Building 1: Building 3: 24 months □ 30 months □ I-4 facility Infants are in designated rooms? □ Yes □ No □ N/A Maximum number of infants: 3 Items posted in public view: Registration Rediction Ratio Chart (All classroom) Does facility transport children? Pes Des MANAGEMENT 114-523 APPLICATION OF STAFF: CHILD RATIOS 114-524 C N N/A N N/A Staff files are in compliance F(1-4) Adequate supervision throughout the facility A(1) (a-b) NES Are training hours up-to-date? F(3)(a-b) Facility following tracking of children procedures A(2) M П At least 1 person with CPR & 1st Aid on the premises H(5)(f) Ratios adequate in all classrooms and on playground B & C 10 HEALTH, SANITATION & SAFETY 114-525 C N N/A C N N/A Children's faces/hands are clean B(1) 10 Proper diaper diapering practices were observed F(1-16) 10 Medicine & harmful items labeled and stored properly D(2) Proper handwashing practices were observed G(4) 10 Ø First Aid kit in facility and in vehicle if transport E(1), I(1)(g) Smoking permitted only in designated area A(3) D PHYSICAL SITE 114-527 C N N/A C N N/A BUILDING **PLAYGROUND** V Ventilation and lighting sufficient A(2)(a-d),(4)(a-c) W Outdoor space free of glass, paper & other litter B(2) 10 Ceiling, floors, windows, doors free from hazards A(5)(d) P Fencing/safety barriers 4ftin height, in good repair B(4) W No strangulation/choking/suffocation hazards A(5)(g)(i-iii) W Playground equipmentsafe & firmly anchored C (6) 0 Building(s) temp between 68-80 °F A(7) 0 Adequate cushioning material; at least 6ft. fall zone C(8) 0 П Facility free from pest problems (Insects, rodents)A(8)(b-c) 0 RESTING C N N/A Garbage kept properly in plastic lined receptacles A(8)(d-i) Cribs meet federal standards (reviewed certificate) D(1) 1 W Electrical outlets are securely covered A(11)(c) 10 Cots, beds, mats, & cribs labeled for each child D(2) V Sink area has hot & cold water A(12)(d) Pack & plays not used for sleeping D(1-2) 0 Soap and towels in restrooms A(12)(i) 0 TRANSPORTATION 114-5251 4 Furniture, toys & equipment are clean and in good repair C(1) W Vehicle has proper safety restraints and in good repair I(1) P Furniture, toys & equipment meets CPSC standards C(2) Checklist for loading/unloading children reviewed. I(2)(d) P D **MEAL REQUIREMENTS 114-528** C N N/A C N N/A Meals and snacks in compliance with USDA A(1)(b) 10 Round, firm foods are not given to children under 4y/o, Clean, wholesome, unspoiled properly labeled food A(4) unless properly cutto preventchoking risk. A(3) M Ø Food preparers have proper hair restraints B(5) Food labeled, stored and handled properly D(1) 10 res Refrigerators have thermometers (Temp under 45°F) D(2-3) Cleaning & poisonous items stored away from food D(8) INFANT CARE 114-529 C N N/A Cups and bottles labeled with child's name & used only by that child A(1)(a) W No bottles propped or given in cribs or on mats A(1)(c) J Breastmilk is not heated in the microwave. If microwave is used to heat formula/beverages, parents are notified in writing A(1)(d) 10 Food for toddlers cut in pieces ½ inch or less. A(1)(k) D Food for infants cut in pieces 1/4 inch or less. A(1)(j) D Infants are placed on their backs to sleep, unless Doctor's note is provided. A(3)(a) 0 C = Compliant with Regulation - N = Noncompliant with Regulation No violations noted at the time of visit Signature of Director/Operator/Designee: Date: 11-17-21 Refused to sign Signature of Child Care Licensing Specialist A. Sym Date: NOV 17, 2021