South Carolina Department of Social Services Office of Child Care Licensing

INSPECTION VISIT FORM FOR REGISTERED FAITH BASED CHILD CARE CENTERS

Cademy Date of Inspection 5-23-22. Time of Inspection: Facility Name: Temple Christian Academy Type of Inspection:

Annual Complaint Follow Up (original inspection date Permit #: 22152 Reason for Follow up: pending deficiencies pself-report Hours of Operation: M-F 7:00 AM-5:45 PM Address: 1660 N. Governor Williams Hwy., DARLINGTON, SC 29540 Any changes in contact info (Phone/Email/Fax)? □ Yes vivo Overnight Care?

Yes No Telephone #: 843-393-6000 Center Director/Designee: Naomi C Player Change in Ownership or Director?

Yes No If yes, Name: _ Building 1: Building 2: 🗸 Building 3: Maximum number of children: 196 □ 24 months □ 30 months □ 1-4 facility Infants are in designated rooms? ► Yes □ No □ N/A Maximum number of infants: 16 Items posted in public view: Registration Menu Ratio Chart (All classroom) Does facility transport children? Yes pho APPLICATION OF STAFF: CHILD RATIOS 114-524 MANAGEMENT 114-523 C N N/A N NA Adequate supervision throughout the facility A(1) (a-b) Staff files are in compliance F(1-4) 0 Facility following tracking of children procedures A(2) Are training hours up-to-date? F(3)(a-b) At least 1 person with CPR & 1st Aid on the premises H(5)(f) v 1 0 Ratios adequate in all classrooms and on playground B & C 0 П HEALTH, SANITATION & SAFETY 114-525 CN N/A N/A Proper diaper diapering practices were observed F(1-16) Children's faces/hands are clean B(1) 0 Proper handwashing practices were observed G(4) Medicine & harmful items labeled and stored properly D(2) 0 Smoking permitted only in designated area A(3) 0 First Aid kit in facility and in vehicle if transport E(1), I(1)(g) 0 PHYSICAL SITE 114-527 C N N/A C N N/A BUILDING PLAYGROUND 0 Ventilation and lighting sufficient A(2)(a-d),(4)(a-c) Outdoor space free of glass, paper & other litter B(2) 0 0 Fencing/safety barriers 4ft in height, in good repair B(4) Ceiling, floors, windows, doors free from hazards A(5)(d) Playground equipment safe & firmly anchored C (6) No strangulation/choking/suffocation hazards A(5)(g)(i-iii) 10 Y а Adequate cushioning material; at least 6ft. fall zone C(8) Building(s) temp between 68-80 °F A(7) 6 0 О Facility free from pest problems (Insects, rodents)A(8)(b-c) RESTING M С N N/A Cribs meet federal standards (reviewed certificate) D(1) Garbage kept properly in plastic lined receptacles A(8)(d-i) 0 **4** Cots, beds, mats, & cribs labeled for each child D(2) Electrical outlets are securely covered A(11)(c) Pack & plays not used for sleeping D(1-2) Sink area has hot & cold water A(12)(d) **TRANSPORTATION 114-525 !** Soap and towels in restrooms A(12)(i) Ò Furniture, toys & equipment are clean and in good repair C(1) Vehicle has proper safety restraints and in good repair (1) Furniture, toys & equipment meets CPSC standards C(2) Checklist for loading/unloading children reviewed. I(2)(d) o 0 MEAL REQUIREMENTS 114-528 C N N/A CN N/A Meals and snacks in compliance with USDA A(1)(b) Round, firm foods are not given to children under 4y/o. unless properly cut to prevent choking risk. A(3) Clean, wholesome, unspoiled properly labeled food A(4) Food labeled, stored and handled properly D(1) Food preparers have proper hair restraints B(5) Cleaning & poisonous items stored away from food D(8) Refrigerators have thermometers(Temp under 45°F)D(2-3) INFANT CARE 114-529 C N/A N Cups and bottles labeled with child's name & used only by that child A(1)(a) No bottles propped or given in cribs or on mats A(1)(c) Breast milk is not heated in the microwave. If microwave is used to heat formula/beverages, parents are notified in writing A(1)(d) Food for toddlers cut in pieces 1/2 inch or less. A(1)(k) 0 Food for infants cut in pieces 1/4 inch or less. A(1)(j) Infants are placed on their backs to sleep, unless Doctor's note is provided. A(3)(a) C = Compliant with Regulation - N = Noncompliant with Regulation No violations noted at the time of visit ...